


# EASTMAN STAPLES



...over 100 years experience supplying the apparel  
manufacturing industry



Contact us for Sales, Leasing & Rental

## Issue #10

# Contents

## Paper & Polythene

Marker Papers, Plain, Heatseal, Spot & Cross  
Specialist Plotter Papers & Plotter Pens  
Polythene & Underlay Paper

## Kennett & Lindsell

Mannequins  
Shears  
Chalks & Wax

## Accessories

Dry Cleaning, Ironing & Laundry Supplies  
Books  
Drawing Equipment, Portfolios  
Design & Pattern Cutting Equipment  
Cutting Room Accessories  
Hancocks  
Garment Rails  
Scissors, Shears & Thread Clippers

## Component Products

Pads, Sleeve Head Shapes  
Shoulder Pads, Raglan Pads  
Overlocked Shoulder Pads  
Corsetry  
Tapes, Velcro, Elastic, Zips  
Linings  
Interlinings  
Facings, Undercollar, Stiffener  
Bias Binding, Hooks & Bars, Press Studs

## Finishing

Labels, Woven or Printed  
Hangers & Hanger Accessories  
Shirt Boards, Shirt Packaging  
Tag Guns, Ties  
Security Loops, Cable Ties

## Machines

Round Knife Blades, Straight Knife Blades  
Sharpening Bands & Stones  
Eastman Range  
Cutting Table & Spreading Machine  
Machines, Industrial & Domestic  
Sewing Machine Needles & Feet  
Pressing Equipment

## Alan Godrich

Pressing Equipment  
Motors  
Machines

Welcome to the new 2019 Eastman Staples Catalogue! We cordially invite you to browse a comprehensive snapshot of our extensive range of products that cover a 360-degree view of garment production in the 21<sup>st</sup> Century.

Our business has evolved at an unprecedented rate within the last few years and we have welcomed under our group umbrella Kennett & Lindsell Ltd, superior in the manufacture of mannequins. The prestigious engineering firm of R. E. Enfield and our latest merging with Alan Godrich Sewing Machines Ltd. Together our group are second to none in providing an A to Z range of products and services that cover Domestic and International requisitions.

Underpinning the versatility of our combined purchasing power, where we can provide the very best competitive pricing in the UK, are our professional and knowledgeable staff with decades of experiences in every product. Pick up the phone, have a friendly chat... We can find, advise or provide the best products to suit your needs. We also run periodic sales so don't miss out on a bargain!

Visit our websites, email or telephone us. Whichever medium suits you, we are here waiting to assist you in your choices.

Eastman Staples (Huddersfield - Head office)  
Contact - 01484 88 88 88

Eastman Staples (N Ireland)  
Contact - 028 82 831141 or 07736 145 326

Eastman Staples (S Ireland)  
Contact - 003531 855 7555 or 003538 725 84024

Eastman Staples (Glasgow)  
Contact - 01236 451 905 or 01136 145 329

R.E Enfield (Hatfield)  
Contact - 0208 809 7026

Kennett & Lindsell (Romford)  
Contact - 01708 749 732

Alan Godrich (Leicester)  
Contact - 0116 253 2322



## Plain Papers

### CP Plotter Paper—60gsm

Premium grade white paper, suitable for use on any plotter. Can also be used for hand drawn markers.

CP30	30"	76cm
CP36	36"	91cm
CP48	48"	122cm
CP60	60"	152cm
CP65	65"	165cm
CP72	72"	182cm

**300m per roll**

Other lengths available upon request

### CP50 Bondex Paper—50gsm

Good quality white paper, suitable for use on most plotters. Can also be used for hand drawn markers.

CP5036	36"	91cm*
CP5048	48"	122cm
CP5060	60"	152cm
CP5062	62"	155cm
CP5065	65"	165cm
CP5072	72"	182cm
CP5079	79"	202cm

**300m per roll**

\*250m per roll on this width only

Other lengths available upon request

CP or CP50 premium plain papers are suitable for the following systems:

Gerber - AM300, AM700, Silhouette AM100, AP700, Microjet MJ30  
Lectra - Alys, Primajet, Elite 30, Graphtec  
Plotter Technology - TX900, TX1800, Neon and Eclipse Pen Plotter,  
Fastjet II, Fastjet Pro and Inkjet Plotters AC-16350  
Hewlett Packard - 500+, Design Jet

## Spot & Cross Papers



### NPS Newsprint—52gsm

Non tracing spot and cross paper.

NPS36T	36"	91cm
--------	-----	------

**150m per roll**

### SC Spot & Cross—60gsm

Used in the design room and as a master when making multiple hand markers. Follow spot-cross-spot-cross for the grain line or spots-crosses for your 45 angle.

SC30	30"	76cm
SC36	36"	91cm
SC48	48"	122cm
SC60	60"	152cm
SC65	65"	165cm
SC72	72"	182cm

**250m per roll**

## Heatseal Papers

**Important Note!**

**Hot-Melt Heatseal adheres to most fabrics whilst PE Heatseal adheres mainly to non-synthetic fabrics.**

**If the iron temperature is too high it can result in the adhesive dropping off the paper causing marks and non-adherence.**

**If the iron temperature is too low the heatseal will not activate.**

**PE Heatseal requires a hot iron between 120C and 200C.**

**Hot-Melt Heatseal requires a cool iron between 90C and 150C.**

Heatseal papers are suitable for the following systems:

Gerber - Infinity

Investronica - P92, P2000 and Diamond

### PE Heatseal Paper—55gsm

Suitable for non-synthetic fabrics. Used extensively in the upholstery trade & can also be used as embroidery backing.

CH36	36"	91cm
CH48	48"	122cm
CH60	60"	152cm
CH65	65"	165cm
CH72	72"	182cm
CH79	79"	202cm

**250m per roll**

### Plain Heatseal Paper —70gsm

CHPS736	36"	91cm
CHPS760	60"	152cm
CHPS764	64"	162cm
CHPS772	72"	182cm
CHPS780	80"	202cm

**250m per roll**

### CHB Hot-Melt Heatseal Plotter Paper—62gsm

Standard grade paper, a good all-rounder.

CHB60	60"	152cm
-------	-----	-------

**250m per roll**

### Numberprint Hot-Melt Heatseal —70gsm

Top quality grade paper.

SCHUS736	36"	91cm
SCHUS760	60"	152cm

**200m per roll**

### Numberprint Hot-Melt Heatseal —62gsm

Standard grade for use when producing hand drawn markers.

SCHB60	60"	152cm
--------	-----	-------

**200m per roll**



PH0801

P51601

PH0101

## Gerber Accuplot 100 Plotter

Premium grade White paper, suitable for use on any plotter.  
Can also be used for hand drawn markers.

CPA62	Plain	62"	157cm	225m	60gsm
CP5062	Plain	62"	157cm	300m	50gsm

Use PENG BK pens

## Gerber SP150 Plotter

CPA36	Plain	36"	91cm	225m	60gsm
-------	-------	-----	------	------	-------

USE PH0101 3MM fibretip or P51601 3mm rollerball pens

## Gerber SP200 Plotter

CPS36G	Plain	36"	91cm	150m	70gsm
--------	-------	-----	------	------	-------

Use PH0101 3mm fibretip or P51601 3mm rollerball pens

## Gerber GX3000 Plotter

CPS36G	Plain	36"	91cm	150m	70gsm
CP36G	Plain	36"	91cm	150m	60gsm

Use PH0101 3mm fibretip or P51601 3mm rollerball pens

## Gerber Silhouette AM200 (upright)

CPS36G	Plain	36"	91cm	250m	70gsm
--------	-------	-----	------	------	-------

## Gerber SP-120, CE3000 and CE5000

CP48G	Plain	48"	122cm	150m	60gsm
-------	-------	-----	-------	------	-------

## Hewlett Packard 500+

CP42G	Plain	42"	106cm	100m	60gsm
-------	-------	-----	-------	------	-------

## Hewlett Packard Design Jet

CP36S	Plain	36"	91cm	50m	60gsm
CPS36S	Plain	36"	91cm	50m	70gsm
CH36S	H-seal	36"	91cm	50m	55gsm

Specially wound on 2" (76mm) ID cores


## Gerber AP700

P20072B	Gold	72"	182cm	95m	200gsm
---------	------	-----	-------	-----	--------

Pattern Card to fit Plotter Technology Duet and Duet Autofeed

## Lectra Contour

P1050BF	Buff	50"	127cm	70m	240gsm
---------	------	-----	-------	-----	--------



PENCART

PENG SUL

PENG BK

PEN BLK

## Plotter Pens

PEN2BK	Fisher	2.5"	67mm
PENBLK	Fisher	3.5"	89mm
PENGBK	Fisher Giant	4.25"	108mm
PENG SUL	Fisher Super Giant	4.5"	114mm

All Fisher pens are bold point and have black ink. Super Giant Pens last several times as long as standard pens.

## Reservoir Inking Systems

RESINK	Fisher Reservoir Ink 4oz
RESPEN1	Fisher Reservoir Pen for Gerber 4.5" 107mm + 35mm extension
RESPEN4	Fisher Reservoir Pen for Investronica 3.5" 89mm (no extension)
PENCART	Cartridge Reservoir System with ink for Gerber (pack of 4)

PH0801	3mm Rollerball	Long Body BLACK
P51501	3mm Rollerball	Short Body BLACK
PH0101	3mm Fibretip	Short Body BLACK

Supplied in Packs of 5

## Graphtec Plotter & Accessories

KB700-BK	Black Oil Base Pressurised Ball Pen
PHP34-BALL	Adapter for KB700 Pen
CE6000-120AP	Plotter
CB15U	Chamfered Supersteel Blade
CB09UA	0.9mm Chamfered Supersteel Blade
CB15U-5	Pack of 5 Supersteel Blades
772159880	Pen Holder
772159890	Pen Station
PHP33-CB15N-H	1.5mm Plastic Cutter Holder



### Plain Brown Underlay Papers



Placed underneath the lay directly on the cutting table this paper serves three purposes. It protects the fabric, stops the knife baseplate from rucking the bottom ply and acts as a medium to move the lay along the table.

#### Standard Duty—75gsm

UL7530	30"	76cm
UL7536	36"	91cm
UL7548	48"	122cm
UL7560	60"	152cm
UL7566	66"	168cm
UL7572	72"	182cm
UL7579	79"	202cm
200m per roll		


#### Heavy Duty—110gsm

UL11060	60"	152cm
UL11067	67"	170cm
UL11072	72"	182cm
150m per roll		

### Perforated Underlay

Available in three hole formations and three qualities of paper to ensure there is a product to suit all requirements. Use smaller holes for delicate fabrics, tighter hole formations for cutting smaller pieces and heavier papers for moving heavy lays on the table.

#### Hole Formations



US Spiked pin hole 10mm spacing between perforations  
UP Punched 4mm hole 25mm spacing between perforations  
UGR Punched square hole 12mm spacing between perforations  
Underlay must be laid with any flaps on the underside.

#### Paper Qualities

75gsm Standard grade—All rounder suitable for most lays  
70gsm Kraft—Lightweight paper but has excellent strength  
110gsm Heavyweight Grade—for moving heavy lays. Will not get sucked into cutting bed on systems with very high vacuum

#### 75gsm Standard Grade—Spiked or Punched

60"	152cm
64"	162cm
66"	165cm
68"	172cm
72"	182cm
79"	200cm
200m per roll	

#### 70gsm High Grade—Ripped Kraft

UGRS	63"	200m
------	-----	------

#### 110gsm Heavyweight Grade—Spiked or Punched

36"	91cm
60"	152cm
63"	160cm
67"	180cm
72"	182cm
150m per roll	

### Polythene



The polythene seals the vacuum within the lay in order to stabilise the fabric for accurate cutting whilst the Perforated Underlay allows the vacuum to be drawn through the fabric and stops the fabric and any dust or lint from being drawn into the bristle bed. It also provides a medium for the lay to be moved from spreading to cutting tables.

#### High Density Polythene Film

Single wound (with no centre fold). High density polythene has a greater yield (meterage) per kg than low density. All width rolls weigh approximately 30kg.

##### 15 micron thickness

Suitable for Gerber systems

Any size available subject to minimum order

CHD1574	74"	188cm
CHD1576	76"	193cm
CHD1580	80"	203cm
CHD1584	84"	213cm
CHD1588	88"	224cm
CHD1592	92"	234cm
CHD1502	102"	259cm
CHD1512	112"	284cm

##### 25 micron thickness

Suitable for Lectra, Investronica and Bullmer systems

CHD2572	72"	182cm
CHD2578	78"	198cm
CHD2580	80"	203cm
CHD2588	88"	224cm
CHD2592	92"	234cm
CHD2598	98"	249cm
CHD2502	102"	259cm

#### Low Density Polythene Film—25mu

C10019A	50cm	Per 1000m
---------	------	-----------




## DESIGN & AUTOMARKER

Eastman Pattern's thoughtfully designed tools, combined with its unique "snaps" and keyboard input, enables you to make correct patterns with the greatest speed, accuracy, control, and unbelievable ease. You will use all of Eastman Pattern's features to efficiently develop patterns, revise patterns and input existing paper patterns with the DigiPen and Paper.


Eastman Pattern AutoMarker generates optimal markers in seconds. The software gives you the greatest flexibility to deal with complex fabric cutting and production considerations such as fabric defects, fabric colour variations, fabric prints, stepped fabric lays, block fusings, and more. Eastman Pattern AutoMarker will even determine the optimal fabric width for a specific order.

User friendly tools enable you to do complex pattern cutting simply and accurately.




Instantly Open Pleats

100% Automation  
8% Less fabric  
70% Less human effort



Use fusing blocks in AutoMarker



Automatically create tight markers



## 3D GARMENT MODELLING

### Construct 2D Patterns and transform them to 3D Garments

- Works alongside the Eastman Pattern software
- Simulates the garment fitting process by applying your patterns onto a customised avatar
- Make quick and easy changes to your 2D pattern and instantly see results in 3D form

### Advanced fabric representation

- Replicate fabric draping qualities
- Imitate a variety of stitch and construction techniques
- Apply printed fabric and appliqué motifs that look true to life

### Visual fit feedback through garment pressure

- Easily see which areas of the garment have more pressure and have a tighter fit
- Identify fit and size problems on screen before any garment is produced
- Select a variety of fabrics to see which fabric is more comfortable for the model

### Realistic Models

- Customise models to create a particular look
- Amend appearance, age, gender, body measurements and posture that portray real body types
- Select between a customisable model, mannequin view or no mannequin view to suit your work preferences

Reduce pre-production sample time



Simulate the sampling and fit process of garment production



Reduce material and transport costs





## GRAPHTEC PLOTTER

- Graphtec CE6000 Plotter available in a variety of widths to suit your company needs
- Accurately plot or cut out hard copies of patterns with all necessary annotations or print marker files ready for cutting
- Change pen and blade settings easily to work on a variety of paper widths and weights
- Cutting speeds of 600mm to 1000mm per second
- Acceleration of 21.2 metres per second



Narrow design allows you to fit into any size work space



## DIGIPEN & PAPER

- Accurately convert hard patterns into digital files on the Eastman Pattern design software
- Plot all pattern details including notches, grain-lines, annotations, pleats and drill holes
- Built in memory allows you to digitise a variety of styles before loading patterns onto software
- Load files instantly onto the design software and begin working immediately
- Easy to use smart paper with numbered icons to represent different functions

Precision DigiPen for accurate pattern digitising



## ORGANISE

### Prepare & Plan

- Dynamically display your orders from different view points
- Production information is ready from the integrated PLM
- Generate time and action plans

### Execute

- Automatically generate work orders, purchase orders and all related production documents
- Stock moves as production documents are easily transformed from one phase to the next

### Monitor & Analyse

- Manage your production processes, in-house or outsourced, in terms of time schedules, quantities, and quality
- Use drill down views to get a clear overview of all orders and their status and quickly spot issues

### Plan the Collection


- Plan and track the style range and assure performance targets are met

### Develop the Styles


- Refine specifications and track all aspects of sample development via visual libraries and quick and easy reporting

### Deliver on time


- Follow all processes and assure quality through time and action plans



Calendar Tracking of Purchases and Deliveries




Time and Action Plan



Colour Cards, Themes, and Collection Progress



## Tissues



Used in the lay every 10 or 12 plies for bundling. Also used for shading lay between each roll of fabric. The tissue helps to stabilise the lay when slippery fabrics are used.

### Separation Tissue—20gsm

ISK60WE	60"	152cm	500m
---------	-----	-------	------

### Separation Tissue—40gsm

IS64PK	64"	162cm	400m
--------	-----	-------	------

### Wadding Tissue—35gsm

IW60UB	60"	152cm	400m
--------	-----	-------	------

## Transfer Printing Media

### Protection Paper—17gsm high glaze low porosity

To stop ink contamination of conveyor belts on rotary or flat bed heat transfer machines. High glaze—low porosity—wrinkle free—low grammage—long length rolls for fewer roll changes. Specifically developed for the heat transfer process.

BTBP66	66"	168cm	800m
BTBP66L	66"	168cm	1200m

### Transfer Backing Paper—18gsm

WTBP65	65"	165cm	1050m
--------	-----	-------	-------


### Heatseal Sublimating Paper—100gsm

SBTH100162	64"	162cm	120m
------------	-----	-------	------

### Transfer Sublimating Paper—95gsm

SBD95162T	64"	162cm	150m
-----------	-----	-------	------

## Pattern Cards



Use light weight papers for short runs and sample making, middleweight papers for general use and heavyweight papers for suit & permanent patterns. Kraft paper has higher tear strength than Manilla but tends to have a rougher surface.

### P7 Manilla Pattern Card—154gsm (Buff)

P740BF	40"	101cm	150m
P740BS	40"	101cm	100m

### P10 Manilla Pattern Card—240gsm (Buff)

P1040BF	40"	101cm	
P1050BF	50"	127cm	
P1060BF	60"	152cm	100m

### P11 Manilla Pattern Card—270gsm

P1140	40"	101cm	100m
-------	-----	-------	------

Blue, Green, Pink, Yellow

### P13 Economy Manilla (Recycled)—250gsm

P1340	40"	101cm	70m
-------	-----	-------	-----

Buff, Yellow

### P21 Heavy Manilla Pattern Card—400gsm (Buff)

P2140BF	40"	101cm	75m
P2140BS	40"	101cm	37m

### Unglazed Kraft—200gsm (Golden)

P20040B	40"	101cm	120m
P20050B	50"	127cm	100m
P20072B	72"	182cm	95m

## Pleating Kraft Papers

### Hand Pleating Kraft—232gsm

Suitable for hand pleating. Made with long fibre 100% virgin kraft paper and additional wet strength to withstand steam and pressure. Can be re-used several times.

IMPORTANT—Always test pleating kraft with fabric before use.

PK23232	32"	81cm	80m
PK23236	36"	91cm	80m
PK23248	48"	122cm	80m

## Pattern Boards

Used for making permanent & band knife cutting patterns. Can also be used for cutting around directly when working with leather.

### Vulcanised Fibre Board

The hardest wearing board available, perfect for band knife patterns.

FBA3954	0.8mm thick	39" x 54"
---------	-------------	-----------

### Grey Heel Board

Suitable for permanent, bank knife & leather patterns. Also used for cap peaks & in shoes.

FBH4861	1.3mm thick	48" x 61"
---------	-------------	-----------

### Alextra Plastic Pattern Board



Suitable for permanent patterns, the edge will always remain hard. Can also be wiped clean.

ALEX	0.5mm thick	26" x 54"
------	-------------	-----------

Opaque & Yellow

## Packaging & Wrapping

### MG Ribbed Pure Kraft Paper—90gsm

Very strong, suitable for wrapping.

KR9036	36"	91cm	per 220m
KR4436S	36"	91cm	per 100m
KR4436	36"	91cm	per 220m
KR4448	48"	122cm	per 220m

### Paper Roll Dispenser

Robustly made in aluminium and enamel. Supplied flat packed and easy to assemble complete with rubber feet, hanging/wall brackets. Will dispense maximum roll diameter of 240mm.

DCRH800	800mm	per Unit
DCRH1000	1000mm	per Unit

### Corrugated Paper

A quality lightweight and strong single faced paper supplied on a roll.

CORR900	90mm	per 75m
---------	------	---------

### Bubble Wrap



BUBB30	750mm
per 100m	

### Self Adhesive Packaging Tape

TAPECLR	50mm	Clear Vinyl
TAPEPPP	50mm	Buff Polypropylene

### Hand Pallet Wrap—20 micron Extended Cores

F20G4S	400mm x 300m
--------	--------------

### Clear Polythene Bags 120 gauge

Stock sizes		Width	Length
BE1218	100g	12"	18"
BG1420C	120g	14"	20"
BG1824C	120g	18"	24"
BG2030	120g	20"	30"

## Polythene Bags

### Polythene "Mini Grip" Seal Bags

BGB1	2.25 x 3"	57 x 57mm
MINBAG3	2.25 x 3"	57 x 76mm
MINBAG4	4 x 5.5"	100 x 40mm
MINBAG5	3.5 x 4.5"	89 x 114mm
MINBAG6	6 x 9"	150 x 230mm

**1000 bags per pack**

## Polythene Refuse Sacks

GT2944B	18" x 29" x 44"	250g
---------	-----------------	------

### Available in Black or White

All our polythene are anti-static & BHT free. The products listed below are the most commonly used ones but we are able to supply many other sizes & gauges.

### Garment Covers On The Rolls

With hanger shaped perforations

20" width & gusset opens to 24"

Length	50 gauge	100 gauge
36" - 91cm	CC05036	CC10036
42" - 106 cm	CC05042	CC10042
48" - 122cm	CC05048	CC10048
54" - 137cm	CC05054	CC10054
60" - 152cm	N/a	CC10060
72" - 183cm	CC05072	CC10072

**Approx. 12.5kg per roll**

Can be printed with "Warning Notice" p.o.a

### Continuous Lay-Flat Tubing

For use with heat-sealing garment dispensing machines.

LF10000	20" x 24"	100 gauge
---------	-----------	-----------

**Approx. 12.5kg per roll**

Can be printed with "Warning Notice" p.o.a

### Clear Gusseted Overbags

24" width & gusset opens to 32"

**Each overbag will hold 10-12 garments**

48" - 122cm	GG3248C	120g
54" - 137cm	GG3254C	120g
66" - 165cm	GG3266C	120g
72" - 183cm	GG3272C	120g
48" - 122cm	GR3248C	220g
54" - 137cm	GR3254C	220g
66" - 165cm	GR3266C	220g
72" - 183cm	GR3272C	220g

### Zippered Garment Covers

Durable PEVA Zippered Suit, Dress & Bridal Covers

Features: Hanger opening, ID Pocket

Available in Black & White

CS40	40"	Zippered Suit Covers
CS54	54"	Zippered Suit Covers
CD60	60"	Dress Covers

**MOQ - 100**

### PEVA Bridal Covers

CB72WW	72"	Bridal Covers	White
CBB72	72"	Breathable Bridal Covers	White

**MOQ - 100**

## Kenneform Mannequins

Kennett & Lindsell have been making mannequins since 1877. The products are designed and manufactured in our ISO 9002 certified facility at Romford in the U.K. All products are manufactured individually to traditional high standards from a careful combination of modern and established materials. The base shell of our normal production items is constructed from glass re-enforced polyester. This is covered with a market specific padding layer and finished in 100% Irish linen. The linen is of a particular quality developed for the product.

All girth measurements quoted in our product information are based upon a level line taken through a specific point. All other measurements are surface measurements and the point at which they are taken is quoted.

We also offer a development service in which we will take shape and size information and produce a product to individual specifications. Our production can also make modifications to existing products. The development service and the modification service are subject to time, availability and capacity.

Below are examples of sizes for our Kenneform range;



	Size	Bust	Waist	Hips	Nape to Waist	Size	Bust	Waist	Hips	Nape to Waist
Imperial - Inches						Metric - Cm's				
SF1	8	30.75	23	32.25	15.5	8	78	58	82	39.5
	10	32.75	24.75	34.25	15.5	10	83	63	87	39.5
	12	34.75	26.75	36.25	16	12	88	68	92	40.5
	14	36.75	28.75	38.25	16.25	14	93	73	97	41
	16	38.75	30.75	40.25	16.5	16	98	78	102	41.5
	18	40.75	32.75	42.25	16.75	18	103	83	107	42
SF2	10	32	25.5	34	15.5	10	81	65	86.5	39.5
	12	34	27.5	36	16	12	86	70	91.5	40.5
	14	36	29.5	38	16.25	14	91.5	75	96.5	41
	16	38	31.5	40	16.5	16	96.5	80	101.5	42
SF3	10	32.5	23.5	34.25	15.5	10	82.5	60	87.5	39.5
	12	34	25	36	15.75	12	86.5	63.5	91.5	40
	14	36	27	38	16	14	91.5	68.5	96.5	40.5
	16	38	29	40	16.25	16	96.5	73.5	101.5	41
	18	40	31	42	16.5	18	101.5	78.5	106.5	42
SF4	10	32.25	23.25	34.25	15.75	10	82	59	87	40
	12	34.25	25.25	36.25	16	12	87	64	92	40.5
	14	36.25	27.25	38.25	16.13	14	92	69	97	41
	16	38.25	29.25	40.25	16.25	16	97	74	102	41.5
	18	40.25	31.25	42.25	16.5	18	102	79	107	42
	20	42.5	33.5	44.25	16.75	20	108	85	113	42.5
	22	44.75	35.75	46.75	16.75	22	114	91	119	42.5
SF5	12	34.75	28.75	38.25	N/A	12	88	73	97	N/A
	Size	Chest	Waist	Hips		Size	Chest	Waist	Hips	
Imperial - Inches						Metric - Cm's				
G1	92	36.5	31.5	38		92	92	80	96	
	96	38	33	39.5		96	96	84	100	
	100	39.5	34.5	41		100	100	88	104	
	104	41	36	42.5		104	104	92	108	
	110	43.5	38.5	45		110	110	98	114	
G2	36	36	30	37		36	91.5	76.5	94	
	38	38	32	39		38	96.5	81.5	99	
	40	40	34	41		40	101.5	86.5	104	
	42	42	36	43		42	106.5	91.5	109	
	44	44	38	45		44	111.5	96.5	114	
G3	34	34	29	34		34	86.5	74	91.5	
	36	36	31	36		36	91.5	79	96.5	
	38	38	33	38		38	96.5	84	101.5	
	40	40	35	42		40	101.5	89	106.5	
	42	42	37	44		42	106.5	94	111.5	
	44	44	39	46		44	111.5	99	116.5	
	46	46	41	48		46	116.5	104	121.5	

## Our Ranges:

**Concept Range** - this is a scan derived range. The model is derived from a series of scans of more than one individual in the age group 20 to 35.

**Classic Range** - this is a block derived range. Shape derived from "A-line" dress blocks. Small cup size for girth with flat tummy and seat.

**Display Models** - this is a range of models with decorative covers, designed for display purposes only.

**Full Length Range** - available in non-electronic copies of models, scan derived range, average fitting (18-29 age range) and more.

**Mini Models** - these are scaled-down male and female figures available in 50 per cent only.

**Lingerie Range** - block derived range. "Bra-design" table top stands and "Stylised shape" of panty design stands.

**Maternity Range** - also available in a torso version. Based upon a size 12/14 figure.

**Outsize Range** - available in the range developed from a series of electronic scans of outsize subjects, electronic scan of a professional fitting model (with detail and balance), full length and torso versions and a range based on an outsize figure with a fat tummy and seat.

**Pant Ranges** - available in male and female versions

We have many other ranges and developments available to suit your personal needs. For more detailed measurements, please ask us for technical measurements or contact Kennett & Lindsell on **01708 749732** or [sales@kennettlindsell.com](mailto:sales@kennettlindsell.com)



K+L Full Body Form



Kenneform Mannequin Stand



K+L Torso Mannequin Stand



K+L Full Body Mannequin Stand

Pedal Base & Castors  
are optional extras






- 1) KL7SH - Kennett & Lindsell 7" Shears
- 2) KL8SH - Kennett & Lindsell 8" Shears
- 3) KL10SH - Kennett & Lindsell 10" Shears  
(Serrated available upon request)
- 4) KL10GS - Kennett & Lindsell 10" Gold Shears
- 5) KL12SH - Kennett & Lindsell 12" Shears
- 6) KLG6SH - Kennett & Lindsell Glide 6" Shears
- 7) KLG8.5SH - Kennett & Lindsell Glide 8.5" Shears
- 8) KL8SS - Kennett & Lindsell 8" Serrated Shears

- 9) KL9BH - Kennett & Lindsell 9" Bow Handles
- 10) KL7BH - Kennett & Lindsell 7" Bow Handles
- 11) KL4TS - Kennett & Lindsell 4" Thread Snips
- 12) KLG10SH - K+L Glide 10" Shears for Hard to Cut Materials
- 13) KLHOLSTA, KLHOLSTB, KLHOLSTC

**Scissors not included**





### Garment Rails

Kennett & Lindsell Garment Rail (Available in Blue, Red, Gold, Yellow, Silver, Chrome & Pink)

- 4, 4'6 & 5ft High
- 3, 4, 5 & 6ft Wide

Code: KLR[Height][Width][Colour]



### Chalk

CS012 - Kennett & Lindsell Chalk Oblong (White, Yellow, Black, Blue & Assorted)

CT012 - Kennett & Lindsell Chalk Triangles (White, Yellow, Black, Blue & Assorted)



### Wax

WS012 - Kennett & Lindsell Wax  
(Natural, White, Red, Blue, Yellow Assorted & Black)



### Tailors Ham

IPS4 - K + L Oblong Tailors Ham - Small (26x20x10cm)

IPS3 - K + L Oblong Tailors Ham - Large (31x22x12cm)



IPC4 - K + L Circular Tailors Ham - Small (20x21x10cm)

IPC3 - K + L Circular Tailors Ham - Large (26x25x12cm)



IPSL8 - K + L Tailors Sleeve - Small (35x11x5cm)

IPSL7 - K + L Tailors Sleeve - Large (45x14x8cm)



IB13 - K + L Tailors Sleeve Table - Small (48x11x17cm)

IB12 - K + L Tailors Sleeve Table - Large (59x14x19cm)



## Plain Poly Bags

### Clear Poly Bags

			Units per box
BE1218	12x18	100g	1000
BG1420C	14x20	120g	1000
BG1824C	18x24	120g	1000
BG2030	20x30	120g	500
BG2436	24x36	120g	500

## Polythene Dispenser Stand

### Wire Hangers

WRDS18W	18" White Shirt Hanger	500
WRDS13	16" 13g Plain Galv Hanger	500
WRDS13N	16" 13g Notched Galv Hanger	500
WRDCW	16" 13g White Suit Hanger	500

Many styles of plastic hangers are available on page 36

## Hanger Accessories

F/COVT	Foam Hanger Covers	500
TGUARDLT	Laidlaw Trouser Guards	2500
S/GUARD	Shoulder Guards	500
T/CLIPW	White Plastic Trouser Clips	1000

## Shirt Packaging

PJ1417W	14x17 150g Poly Prop Bag	1000
---------	--------------------------	------

Please see Shirt Packaging page for more items

## Washing Powders

Autosuds	General Non Bio Powder	10kg
Ocean Plus	Non Bio & Fabric Conditioner	25kg
Duvet Brite	Strong & Good @ High Temps	25kg
OPL	Value Non Bio Powder	25kg
Chiffon Soft	Pleasant Fabric Softener	20ltr
Colour Safe	Oxygen Bleach Powder	25kg
Unique Strong	Bio Powder	25kg

Emulsifiers, Starch in Liquid & Powder form also available




## Spotting Fluids

TINTO-D1	For sweat, food, sauce & chocolate	500ml
TINTO-D2	For rust & metal oxidation stains	500ml
TINTO-D3	For paint, glue, ink, tar, pen	500ml
TINTO-D4	For blood, egg, milk, ice cream	500ml
TINTO-D5	For grass, fruit, coffee, tea, tanning	500ml
FINISH-10	Finishing agent for wet cleaning	10kg
LANACLEAN-10	Special detergent for wet cleaning —Wool, Silk & Natural Fibres	10kg
PIUMACLEAN-10	Detergent for Duvets, Duck Down Quilts & Padded Jackets	10kg
POWERFRESH-10	Active Power Fresh D/C detergent	10kg
SUPERSTAT-10	Active Superstat D/C detergent	10kg
JOLLYPOWER-10	Jolly Power Pre spotter for general pre-brushing with high cleaning power	10kg
JOLLYSMAC-10	Jolly Smak pre spotter for pre-brushing or spraying	10kg
PREPERC-750	Ready to use general pre spotter for dry cleaning	750ml
TOGLISUDORE	Ready to use sweat and urine stain remover with odour absorber	750ml

## Books, Till Rolls & Counter Area

DCB1	Dry Cleaning Ticket Books White, Blue, Green, Yellow, Pink, Lilac 500 tickets a book	per book
SPIN1	27mm Safety Pins	10 gross





13

### 13) Block Patterns

Martin Shoben's Block Patterns—Full size graded blocks with size charts, showing critical points for pricking through onto paper.

- |          |                                  |
|----------|----------------------------------|
| Block 1  | Women's Dress (Yellow)           |
| Block 2  | Women's Trouser (Orange)         |
| Block 3  | Men's Formal Jacket (Royal Blue) |
| Block 4  | Men's Trouser (Pale Blue)        |
| Block 5  | Women's Jacket (Gold)            |
| Block 6  | Unisex Casual Top (Turquoise)    |
| Block 7  | Childs Basic Block 3-24 months   |
| Block 8  | Childs Basic Block 3-7 years     |
| Block 8B | Childs Casual Block 3-7 years    |
| Block 8C | Childs Trouser Block 3-7 years   |
| Block 9  | Childs Basic Block 8-11 years    |
| Block 9B | Childs Casual Block 8-11 years   |
| Block 9C | Childs Trouser Block 8-11 years  |

### Books

- |             |  |
|-------------|--|
| 1) B036125  | Metric Pattern Cutting (for Ladieswear)      |
|             | Winifred Aldrich                             |
| 2) B041137  | Metric Pattern Cutting (for Menswear)        |
|             | Winifred Aldrich                             |
| 3) B054670  | Pattern Cutting for Women's Tailored Jackets |
|             | Winifred Aldrich                             |
| 4) B039175  | Fabric Form & Flat Pattern Cutting           |
|             | Winifred Aldrich                             |
| 5) B504042  | Designing Patterns                           |
|             | Hilary Campbell                              |
| 6) B052481  | Technology of Clothing Manufacture           |
|             | Harold Carr/Barbara Latham                   |
| 7) B055995  | Fashion Design                               |
|             | Kathryn McKelvey                             |
| 8) B138669  | Fashion Designer's Directory Shape & Form.   |
|             | Simon Travers-Spencer and Zarida Zaman       |
| 9) B239597  | Essential Guide To Dress Pattern Cutting.    |
|             | Martin Shoben.                               |
| 10) B239566 | Essential Guide To Stretch Sewing.           |
|             | Martin Shoben.                               |
| 11) B767408 | Shape To Style.                              |
|             | Martin Shoben                                |
| 12) B697507 | Pattern Cutting                              |
|             | Dennie Chunman Lo                            |



## 1) Fashion Figure Templates - SHOBB

- Fun to use
- Based on fashion model nine head height portions
- Hard wearing see through material
- Be used for all styles from swimwear to tailored jackets
- Key design landmarks are shown, making design easy

## Drawing Equipment & Portfolios

### Pencils

2) PENCHB	HB Drawing Pencils—Box of 12
2) PENC2	2H Drawing Pencils—Box of 12
2) PENC3	3H Drawing Pencils—Box of 12
2) PENC6	Boxed set 12 Pencils 8B—2H
2) PENC64	Drawing Pencil Set of 4 (HB,3B,5B,6B)
3) PENCW12	Watercolour Drawing/Painting Pencils Box of 12
3) PENCW24	Watercolour Drawing/Painting Pencils Box of 24
4) PENC5	Metal Body Pencil Sharpener—Twin Hole
5) PB6528	Paint Brushes—Set of 10 assorted
6) DAPRB	Putty Eraser in plastic container
7) CHARC25	Charcoal Sticks—Pack of 25
8) DAGS	Glue Stick—20g

### Layout Pads

9) A2PAD	A2 Layout Pad—80 Sheets
9) A3PAD	A3 Layout Pad—80 Sheets
9) A4PAD	A4 Layout Pad—80 Sheets

## Sketchbooks

10) HBACKA3	A3 Hardback Sketchbook—46 Pages
10) HBACKA4	A4 Hardback Sketchbook—46 Pages
10) HBACKA5	A5 Hardback Sketchbook—46 Pages

## Portfolios & Sleeves

11) PRDA1	A1 Student Portfolio with rings & strap
11) PRDA2	A2 Student Portfolio with rings & strap
11) PRDA3	A3 Student Portfolio with rings & strap
11) PRDA4	A4 Student Portfolio with rings & strap
12) A1SL	A1 Display Sleeve
12) A2SL	A2 Display Sleeve
12) A3SL	A3 Display Sleeve
12) A4SL	A4 Display Sleeve

Display Sleeves have black paper insert & holes for ring binding

## Display Folders

13) PRFFA2	A2 Display Folder—10 clear pockets
13) PRFFA3	A3 Display Folder—20 clear pockets
13) PRFFA4	A4 Display Folder—20 clear pockets
KBAG01	Eastman Fashion Kit Bag—40x34cm

## Grader's Set Squares (Clear Acrylic)

14) A8245	Standard Metric	43cm
15) A8244E	Combination Metric/Imperial	41cm

## Diagram Squares

16) A8248G	1/4 & 1/5 Scale Diagram Square	25cm
17) SHOBFS	Shoben 1/4 & 1/5 Fashion Scale	14cm



**Rules—Aluminium**

1) A8218CO	Combination Metric/Imperial	18"/45cm
2) A8220ME	Metric Only	100cm
3) A8220E	Combination Metric/Imperial	39"/100cm
3) A8233	Combination Metric/Imperial	48"/125cm
3) A8234	Combination Metric/Imperial	60"/152cm
3) A8235	Combination Metric/Imperial	79"/200cm

**Rules—Clear Acrylic**

4) A8237CO	Combination Metric/Imperial	39"/100cm
------------	-----------------------------	-----------

**Rules—Wooden**

5) A8225	Combination Metric/Imperial	36"/90cm
----------	-----------------------------	----------

**Tailor's Squares & 'T' Squares**

6) A50235M	Aluminium Metric 'L' Square	61cm
7) A65260	Metric 'T' Square (Calibrated 23cm head & 3.8cm blade)	60cm

**Tape Measures—Fibreglass**

8) AN15C	Analogical. Packed 10's	60"/150cm
9) ANFCT	Analogical. Packed 12's	60"/150cm
10) AN153	Analogical 3" brass end 10 pk	60"/150cm

*All tape measures show imperial and metric format*

**Tape Measures—Self Adhesive**

11) ANAMET	20m Metric Roll	100cm recurring
12) ANAIMP	20yd Imperial Roll.	36" recurring
13) ANFAD	60" x 150cm singles	Packed 10's

**Retractable Tape Measures**




14) K033158	Stanley Powerlock	5.0m/16ft
-------------	-------------------	-----------

**Stanley Knives**


15) K210199	199E Fixed Blade Knife
16) K210099	99E Retractable Blade Knife
17) K010150	9mm Snap-Off Blade Knife
18) K010151	18mm Snap-Off Blade Knife

**Blades for Stanley Knives**

K111911	Standard	199E/99E	100
K111921	Heavy Duty	199E/99E	100
K111300	Snap-Off	9mm	100
K111301	Snap-Off	18mm	100







## Design Tools & Templates

(Plastic/Clear Acrylic)

1) SHOBFC	Shoben Fashion Curve	63cm
2) SHOBPC	Shoben Pocket Fashion Curve	24cm
3) GRADEN	Grade 'N' Rule	52cm
4) PMAST	Shoben Pattern Master	42cm
5) A8175	French Curves—Set of 3	
6) A8168	No. 1 Gents Design Template	
6) A8169	No. 2 Ladies Design Template	
6) A8170	No.3 Child's Design Template	

## Design Tools & Templates (Aluminium)

7) A12260	Varyform Curve—Standard	60cm
7) A12248	Varyform Curve—Small	48cm

## Sundry Design Tools

8) A8176	Flexicurve	60cm
9) SHOBTD	Shoben Designer Tape	3mmx25m
10) SHOBRR	Shoben Rule with Button Gauge	25cm
11) A2451	Linen Tester & Magnifier	

## Pattern Notchers, Punches & Drills

12) A8201NW	Budget Pattern Notcher	
13) A8205	Revolving Punch Plier—6 sizes	
14) A8171	Pattern Drill—complete with 4mm bit	
14) A8172	3mm Bit for Pattern Drill	
14) A8173	4mm Bit for Pattern Drill	
14) A8174	6mm Bit for Pattern Drill	
15) A8203	Pattern Punch—5/8" hole	

## Pattern Hooks

16) A8198E	4 1/2" Pattern Hookettes	100
17) A8199E	7" Giant Pattern Hooks	25

## Sundry Pattern Cutting Equipment

TAKST25	Takstrip Pattern Splicing Tape	25mm
18) AWLL	Wooden Handled Awl	
19) A8274	Tracing Wheel—Needle Pointed	



### Cloth Clamps—Pillar Type with Flat Spring

- 1) A8151 4" height (Mighty Midget)  
2) A8152 8" height

**100mm wide base**

### Cloth Clamps—Pillar Type with Swivel Jaw

- 3) A8155 8" height

### Cloth Clamps—Jaw Type

- 4) A8142 Swivel Jaw J-Clamp 2.5" base  
5) A8141 J-Clamp  
6) A8102CL1 A102D J-Clamp 2.5" base

### Check Spikes—Metal Base

- 7) CHECK2M 2" height  
CHECK3M 3" height  
CHECK4M 4" height  
CHECK6M 6" height

### Cloth Weights

- 8) A8161 9" x 2"  
A8163 18" x 2"  
A8164 27" x 2"  
A8165 36" x 2"  
A8166 48" x 2"  
A8167 60" x 2"

### Staplers & Staples

#### Pattern Tackers

Wrist action reduces fatigue & increases power

- |            |                      |              |        |
|------------|----------------------|--------------|--------|
| 9) BATEGUN | Bates Pattern Tacker |              |        |
| BAT06      | 6mm                  | Bates Tacker | bx5000 |
| BAT09      | 9mm                  | Bates Tacker | bx5000 |
| BAT13      | 13mm                 | Bates Tacker | bx5000 |

#### Staple Guns

- |             |                   |        |        |
|-------------|-------------------|--------|--------|
| 10) K069150 | Sharp Shooter gun |        |        |
| J169716     | 10mm              | G-Type | bx1000 |





## Marking Media

### Hancock's Press-Off Chalk

- 1) PS050WE White Box of 50  
Marks remain until steam pressed

### Hancock's Vanishing Products

- 2) VS050WE White Chalk Box of 50  
3) VP001BE Blue Felt Tip Single  
3) VP006BE Blue Felt Tip (6)  
4) VE001BE Felt Tip & Eraser Single  
4) VE005BE Felt Tip & Eraser (5)  
Marks disappear after 3-5 days at 15C room temperature

### Sublimating Chalk

- VSS50WE White Box of 50  
Marks disappear after 7-10 days or when steam pressed

### Hancock's "Red Seal" Lay Powder

For use with perforated lay marker, No.1 has no adhesive.  
Nos. 3 to 7 have increasing amounts of adhesive.

5) L1501WE	No. 1	White	1.5kg
L1025WE	No. 1	White	25kg
L3501WE	No. 3	White	1.5kg
L3025WE	No. 3	White	25kg
L3501BK	No. 3	Black	0.5kg
L3501RD	No. 3	Red	1.5kg
L3501BE	No. 3	Blue	1.5kg
L3501YW	No. 3	Yellow	1.5kg
L3501FG	No. 3	FL Green	1.5kg
L5501WE	No. 5	White	1.5kg
L7001WE	No. 7	White	1kg
LF501WE	French Chalk		1.5kg
LF025WE	French Chalk		25kg
LX001WE	Press-Off Powder		1kg

### Lay Powder Applicator

- LAYAPP For even application

### Hancock's Beeswax

Pure beeswax thread lubricator & strengthener

- 6) BB048YW Box of 48 Large Blocks 1kg  
BB110YW Box of 110 Small Blocks 1kg

### Propelling Leads

- Prop spare leads for propelling pencil  
PROPUV Ultra Violet  
Also available in the following colours; Green, Blue, Red, Silver, White, Yellow  
**Leads will mark almost any surface and are water soluble**  
PROPHLD Plastic Propelling Pencil

### Fabric Colour "Touch-Up" Felt Pens

- REPEN For hiding fabric blemishes  
Available in 150 colours

### Chalk Sharpeners

- 7) C/SHARP All Plastic Sharpener  
8) C/MSHARP Metal Blade Sharpener

CAUTION—Coloured "Marking Media" Should always be used with caution. Marking should be done on the revers side of the fabric if possible & the media should always be tested on a waste piece of the same fabric to ensure safe removal of marks is possible.

Discount available for bulk order of Hancock's products.



### Hancock's Tailors Chalk

CT = Triangle Shape      CS = Oblong shape  
Available in Boxes of 12, 50 and 100

CT***WE	White
CT***BK	Black
CT***RD	Red
CT***BE	Blue
CT***YW	Yellow
CT***AD	Assorted

\*\*\*=Pieces 012, 050 or 100

Marks may be removed with gentle brushing

### Cloth-Marker Pencils—Box of 10

MP010WE	White
MP010BK	Black
MP010RD	Red
MP010BE	Blue
MP010YW	Yellow
MP010AD	Assorted
MP010FG	Fluorescent Green

### Hancock's Tailors Wax—Box of 50

WS050NL	Natural
WS050WT	White
WS050BK	Black
WS050RD	Red
WS050BE	Blue
WS050YW	Yellow
WS050AD	Assorted
WS050FG	Fluorescent Green

Marks may be removed with a warm iron

### Hancock's Wax Pencils—Box of 25

WP025WE	Natural (White)
WP025WT	White (Opaque)
WP025BK	Black
WP025RD	Red
WP025BE	Blue
WP025YW	Yellow
WP025AD	Assorted
WP025FB	Fluorescent Blue
WP025FG	Fluorescent Green
WP025GH	Fluorescent Green Hard

Marks may be removed with a warm iron



### Garment Rails

#### Standard Garment Rails

		36"	48"	60"	72"
TR01	Standard Rail				
TR05	Chrome Top Rail				
TR10	All Chrome Finish				
TR13	Addition Top Bar				

#### Manufactured from tubular steel

2" Nylon castors as standard, 3", 4" & 5" rubber castors available  
64" standard height, 6" extenders available for TR01

#### Heavy Duty Garment Rails

		36"	48"	60"	72"
TR30	Heavy Duty Rail 3" castors				
TR40	Heavy Duty Rail 4" castors				
TR50	Heavy Duty Rail 5" castors				

Manufactured from box base heavy duty steel with rubber castors

64" standard height, finished Blue or Silver.

### Cloth Creels (Unrollers)


TR29	Single roll holder
TR27	Twin roll holder

Both types adjustable 42" to 78" width

### Throw Over Rail

TR28	36" wide x 30" (39" overall) high Fitted with 2" castors
------	---





### PINS

PINT32	'T' Pins No. 20	32mm	227g
PINT51	'T' Pins No. 32	51mm	227g
PINX30	Crossover Shirt Pin	33mm	2,000 pins
PINC26	Concorde Shirt Pins	26 x .59mm	305g
PIND26C	Dressmaker Pins	26 x .65mm	100g
PIND26	Dressmaker Pins	26 x .65mm	500g
PIND30C	Dressmaker Pins	30 x .60mm	100g
PIND30M	Dressmaker Pins	30 x .60mm	500g
PIND34	Dressmaker Pins	34 x .60mm	500g
PINA26S	Adamantine Pins	26 x .65mm	500g
PINA26L	Adamantine Pins	26 x .85mm	500g
PINA32M	Adamantine Pins	32 x .72mm	500g
PINA38L	Adamantine Pins	38 x 1.05mm	500g
PINA50L	Adamantine Pins	51 x 1.2mm	500g
KILT62	Kilt Pins 2.5"	62mm	144 pins
KILT76	Kilt Pins 3"	76mm	144 pins
PING30	Glass Head Pins	Assd. 30mm	9g

PING50	Glass Head Pins	Assd. 50mm	50 pins
PINP35	Plastic Head Pins	Assd. 35mm	10g
PINP35L	Plastic Head Pins	Assd. 34mm	10,000

### Chain Mail Gloves

Code	Size	Palm Girth	Palm Length
AW515XXS	Ultra-Small	5-5.5"	188mm
AW515XS	Extra-Small	6-6.5"	200mm
AW515S	Small	7-7.5"	212mm
AW515M	Medium	8-8.5"	225mm
AW515L	Large	9-9.5"	237mm
AW515XL	Extra-Large	10-10.5"	250mm

### Cotton Gloves

AW515CG	Cotton Glove
---------	--------------

### Heatseal Lay Marker Irons

IRON145N	1350 watt	75 x 15cm
Thermostatic temperature control 50C to 300C		





## Eastman Tailors Shears

High carbon tool steel blades. Extra wide handles with thumb rest & heel. Big pivot bolt for upright storage.

	Length	Cut
1) A4141	13.5"	6.5"
A4112	12"	6.25"
A4113	13"	6.5"
2) A3118 - No thumb rest or heel	12"	6.5"



## Eastman Bent Trimmers

Chrome plated blades with corrosion protective on inside edges  
High carbon tool steel, machined pivot screw

	Length	Cut
A3107	7"	3.25"
A3108	8"	4"
A3108L	8"	4"
A3109	9"	5"
A3110	10"	5.5"
3) A3110L Left Hand	10"	5.5"
A3112	12"	6.5"



## Eastman Bent Trimmers

Nickel plated steel blades, adjustable pivot screw

	Length	Cut
A1907E	7"	3.25"
A1908E	8"	4"
4) A1909E	9"	5"
A1910E	10"	5.25"



## Mundial Serra Sharp Bent Trimmers

High quality with serrated blade providing grip for slippery & tough fabrics

	Length	Cut
5) A4808	8"	4"
A4809	9"	5"
A4810	10"	5.5"
A4812	12"	6.5"



## Pattern Cutting Shears

Long handles & short blade providing grip for slippery & tough fabrics

	Length	Cut
6) A3121 - Wilkinson No.3121	8"	2"



## Pinking Shears

	Length	Cut
7) A1708E Black Handle	8.5"	4"
8) M0037 Budget Grade	8.25"	4"





### Specialist Scissor

1) A8801	Soft Touch	10.5"
Handles spring open after each cut, reducing fatigue		
2) A8790	Craft Scissor	5"
Rounded blunt points for safe use		

### Plastic Handled Scissors

#### Wilkinson

3) A4506	Embroidery	6"
3) A4507	Dressmaking	7"
3) A4508	Dressmaking	8"
3) A4509	Dressmaking	9"
3) A4510	Bent Trimmer	10"

#### Fiskars

4) A8796	Classic Bow Handle	6.5"
5) A8791	General Purpose	8.25"
5) A8792	General Purpose Left Hand	8.25"
5) A8798	Dressmaking	9.5"

### Soft Grip Handles

6) A478	Bent Trimmer	8.5"
6) A8801J	Bent Trimmer	10"



### Economy Quality

7) M0033	Bow Handles	6.5"
8) M0032	Bent Trimmer	7.5"
8) M0031	Bent Trimmer	8.25"
8) M0030	Bent Trimmer	9"

### Wilkinson No. 1809 Household Scissors

Polished bright steel blades

9) A1804	Bow Handles	4"
9) A1805	Bow Handles	5"
9) A1806	Bow Handles	6"
9) A8107	Bow Handles	7"
10) A1804SS	Sharp Pointed Blades	4"
10) A1805SS	Sharp Pointed Blades	5"
10) A1806SS	Sharp Pointed Blades	6"

### Stitch (Machinist) Scissors

11) A181528	Wilkinson Sharp Points	5"
12) A1805CB	Big Bow Curved Blade	5"
13) A19725S	Wilkinson Curved Blade	5"
14) AXC35	Gilt Stork Design	3.5"
15) A8782	Fiskars Needlework	5"
16) TC100M	Plastic Handle	5.5"



## Thread Clippers

1) A1930	Wilkinson Straight Blade	4.5"
1) A1931	Wilkinson Curved Blade	4.5"
2) M0039	Grey Plastic Handle	4"
3) AY400	Orange Plastic Handle	4.5"
4) M0040	No-Loop Plastic Handle	4"

## Scissor Sharpeners

5) SCSHARF Manual operation for 2" to 12" blades  
Up to 14" stroke without re-clamping.  
Calibrated angle adjustment from 0° to 57°. Angle does not change  
as grind wheels wear. 0.25" wide grind & de-burring/polished wheels. Lock-clamp accommodates even very thick blades.

## Leather Scissor Pouches

6) KLHOLSTA, KLHOLSTB, KLHOLSTC

**Scissors not included**

## Wheel (Rotatory) Cutters & Self-Healing Mats

7) OLFCUTL	Wheel Cutter with 45mm Blades
8) A9537	Blade for wheel cutter - perforating edge
9) A9532	Blade for wheel cutter - pinking edge
10) A9531	Blade for wheel cutter - straight edge
11) A9533	Blade for wheel cutter - wavy edge

## Quick Unpicks & Tweezers

12) QUPICLE	Large Quick Unpick
13) QUPWE	Retractable combined Unpick & Tweezer
14) QUPMIN	Retractable Quick Unpick
15) TWE8--	Straight Overlocking Tweezer
16) TWE6--	Curved Overlocking Tweezer

**Note—The blades on even the highest quality shears will rust if not oiled regularly**



### Ring Lock

The Ring Lock System developed by Premax is made of a stainless steel bearing, an aluminium bearing and a Teflon ring assembled with a special high precision machine used in the watch industry. This allows a precise setting of the blades, eliminates the blades "twist" and guarantees a consistent manufacturing quality. The Ring Lock System improves the movement of the blade which, rotating around the Teflon ring—auto lubrication and non-deforming material—keeps the blades set stable and guaranteed forever;

1) T1911334MIS	Embroidery Scissors Stainless Steel	9.5cm/3.75"
2) D69130600	Tailoring Scissors	15cm/6"
3) D69170712	Tailoring Scissors	19cm/7.5"
4) D69170834	Tailoring Scissors	22cm/8.75"
5) D69171000	Tailoring Scissors	25.5cm/10"
6) D69171100	Tailoring Scissors	28cm/11"
7) F11630812	Pinking Shears	21.5cm/8.5"

### Eastman Staples Collection

Produced with stainless steel blades—for home and professional use. The blades are sharpened with high-tech machinery to ensure an excellent cutting performance and a long-lasting cutting edge;

8) B61110414	Embroidery Scissors	11cm/4.25"
9) B61110500	Sewing Scissors	12.5cm/5"
10) B61110600	Sewing Scissors	16cm/6"
11) B61340600	Sewing Scissors	15cm/6"
12) B61450434	Thread Clipper	12cm/4.75"
13) B61620900	Pinking Shears	23cm/9"
14) B61700712	Dressmaker's Shears	19cm/7.5"
15) B61720834	Universal Shears	22cm/8.75cm

Soft-touch and non-slip handle for home and professional use. Carbon steel blades;

16) F11110312V	Embroidery Scissors	9cm/3.5cm
----------------	---------------------	-----------





Classic Sewing-Dressmaking shears;

17) F11110500 Sewing Scissors 12.5cm/5"

18) R15340600 Sewing Scissors Left Handed 15cm/6"

One serrated edge, one knife edge;

19) F11830800Z Tailor Shears 20cm/8"

20) F11831000Z Tailor Shears 25.5cm/ 10"

21) F11831200Z Tailor Shears 30.5cm/12"

22) F11970800V Dressmaker's Shears Microserrated 20cm/8"

Produced on a vast scale with the finest nickel plated carbon steel, through production technologies that enable us to reduce costs while ensuring high quality levels;

23) R31700700 Dressmaker's Shears 18cm/7"

24) R31930800 Dressmaker's Shears 20cm/8"

25) R70220400M Embroidery Scissors 10cm/4"

26) R71110312 Embroidery Scissors 9cm/3.5"

27) R71250312D Embroidery Scissors 9cm/3.5"

28) R71340500 Sewing Scissors Light 12.5cm/5"

29) R71340600 Sewing Scissors Light 15cm/6"

30) R72050414M Embroidery Scissors 10.5cm/4.25"

### Various

31) F13350018D Letter Opener 18cm/7"

32) F17650010P Folding Scissors 10cm/4"

33) F99110000 Scissor Sharpener 11x3x11cm

### Gift Sets

34) X11252312D Embroidery Scissors 9cm/3.5"  
Velvet box with stork scissors and thimble

35) X91250002D Embroidery Scissors 9cm + 11cm  
Embroidery set in velvet box

17



18



19-21



22



23



24



26



27



28-29



30



31



32



35



34



33



### Protective Pads

A variety of different shaped pads available in 7mm thicknesses for elbow, knee, shirts and shorts. Made from closed cell foam one side laminated with nylon for stability. Available in various sizes from junior to adult. Part tool cost applied for special shapes.

### Sleeve Head Rolls

Supplied on reels of 50 mtrs and available in grey, white and black


SHR50	B/G/W	50mm flat
SHRC50	B/G/W	50mm flat & canvas
SHB50	B/G/W	50mm stitched back edge
SHBC50	B/G/W	50mm stitched back edge & canvas



### Sleeve Head Shapes

Die cut for maximum accuracy and available in grey, white and black supplied with or without canvas in a large range of sizes and fabrics.

#### How to measure the sleeve head shape



### Curved/Boomerang Style Shapes

SH349	W	205 x 115mm
SH333	G/W	245 x 140mm
SH335	W	245 x 140mm
SH311	B/G/W	225 x 107mm
SH227	G/W	260 x 145mm
SH101	G/W	260 x 150mm



### Supplied With Canvas

SH630	G/W	320 x 145mm
SH519	B/W	290 x 160mm
SH517	G/W	230 x 135mm
SH419	G/W	370 x 170mm
SH417	B/W	390 x 160mm
SH322	G/W	250 x 130mm
SH321	G/W	310 x 155mm
SH314	G/W	290 x 180mm
SH300	G/W	265 x 140mm



### Flat Strips

SH199	B/G/W	12" x 2"
SH121	G	11" x 1.25"




Prices are per 100 pairs and are available on request.  
Other sizes for all styles are available on request

We are able to modify any shoulder pad to meet your own specifications. Please contact our Specialists on 01484 88 88 88.


## Men's, ladies and Children's Tailored Shoulder Pads

An extensive range of set in style tailored shoulder pads suitable for men's, ladies and children's fashions, all available in white, grey and black in fully needles or constructed styles.

## Choose The Shape D1 D2 D3 D4 D5 D6 T2 T3



## How To Measure The Pad



## Constructed Set In Pads

	(A)	(B)	(C)
102517	260	115	18
103346	235	120	6
103050	235	125	10
103312	235	120	12
103311	235	120	15
103085	235	125	121
103191	235	125	15
6367	245	135	15
103016	265	142	12
103150	270	135	12



## Constructed Saddleback

	(A)	(B)	(C)
102939	190	140	20
103398	200	145	25
103071	260	137	13



## Needled Set In Pads

	(A)	(B)	(C)
103763	295	160	10
103814	295	160	6
103762	295	160	18
102368	245	155	18
101668	260	145	18
101684	185	108	8
170348	255	135	15
269496	255	130	18
103188	275	140	18
101241	280	190	20



## Constructed Raglan Pads

	(A)	(B)	(C)
BTCRW092	170	180	10
BTR81W	195	190	18
101040	180	190	10

Many other styles, shapes and sizes available.






### Overlocked Shoulder Pads

Suitable for ladies lightweight jackets, blouses, tops and knitwear

#### How To Measure The Pad




#### Covered Foam Set In Pads—Price per 100 pairs

	(A)	(B)	(C)
101561	125	100	12
101564	165	115	19
117747	125	110	12
103369	140	100	10
103839	135	65	10



#### Covered Moulded Fibre Set In Pads

	(A)	(B)	(C)
102632	180	115	18



#### Covered Saddleback

	(A)	(B)	(C)
100152	160	130	20

#### Covered Moulded Fibre Raglan Pads

	(A)	(B)	(C)
102634	110	150	13



#### Uncovered Moulded Fibre Set in Pads

	(A)	(B)	(C)
BT1016	170	105	12

Raglan Pads also available



#### Uncovered Foam Pads

Suitable for knitwear, tops & fashionwear.

#### Bare Foam Set In Pads

	(A)	(B)	(C)
102626	200	100	13
102643	175	120	14
103891	210	170	37
374454	145	90	15
377308	195	95	14
600421	200	120	19
0233/10	210	120	10
0233/12	210	120	12
0233/18	210	120	18
0233/23	210	120	23



Bare foam pads also available with split to forms a flap, reducing puckering when sewing a thicker pad into the garment.

#### Bare Foam Raglan Pads

	(A)	(B)	(C)
R0010	130	160	12



## Boning for Corsets

Offering support, fastening or to simply achieve the correct shape of the garment. Suitable for women's clothing, bridal, theatre costumes, bodices and corsets.

### Mulititex Plastic Boning

**MBON** A highly flexible boning that can be stitched directly onto fabric, available in white and black in 8mm and 12mm widths.

Minimum order quantities apply.

### Ripped Plastic Boning

**PB** Flexible plastic white boning that can be stitched directly onto fabric, available in white only in 5, 7, 11 & 13mm widths. Supplied on a continuous reel or cut to length.

Minimum order quantities apply.

### Flat Metal Boning

**MB** White coated flat metal boning with tipped ends, available in white only and in 5, 7, 11 & 13mm widths. Supplied on a continuous reel or cut to length.

Minimum order quantities apply.

### Spiral Metal Boning

**SM** Flexible spiral metal boning will bend left/right as well as back/forward, supplied with metal ends, available in 5, 7 & 11mm widths. Supplied on a continuous reel or cut to length.

Minimum order quantities apply.

### Tunnel Tapes

**TUNTAPE** Tunnel tape for efficient processing of plastic and spiral metal boning, available in 15mm and 20mm widths.

Minimum order quantities apply.

### Bra Hook & Eye Sets

**HESO** Available in many style combinations, such as single/double/triple rows and single/double/triple hook & eye. Available in Black and White.

Minimum order quantities apply.

### Busks

**BUSK** Plastic coated metal busks with dipped ends, available in 20, 24, 28, 32 & 34mm lengths.

Minimum order quantities apply.

## Opton Zips

### Continuous Polyester Chain Zipping

263	4mm Chain
560	6mm Chain

### Sliders for Continuous Zipping

4FL	4mm Flatblock
5AK	6mm Autolock
Pinlock Sliders available in Black or Silver	

### Cut-Length Zips 4mm Nylon Closed End 2120

Available in - 15cm, 18cm, 20cm, 23cm, 25cm, 30cm, 36cm, 41cm  
(Code OBF)

#### 4mm Concealed Invisible 4300

Reversed chain zip appears like a seam

Available in - 20cm, 23cm, 25cm, 30cm, 36cm, 41cm, 46cm, 51cm  
(Code OCA)

## YKK Cut-Length Zips

### 3mm Closed End ERFC256

Available in - 18cm, 20cm, 23cm, 25cm, 30cm, 36cm, 41cm  
(Code YBF)

### 3mm Concealed "Invisible" CHC36

Available in - 18cm, 20cm, 23cm, 25cm, 30cm, 36cm, 41cm  
(Code YCA)

## Touch & Close Fastener

**Sew on Hook & Loop available in - 16mm, 20mm, 25mm, 50mm**

Supplied on 25 metre rolls in either Black or White.

Also available with adhesive backing.

## Woven Loom Elastic

**Available in sizes -**

4mm, 6mm, 13mm, 20mm, 25mm, 32mm, 38mm, 50mm

Sold per 100m except on 4mm and 6mm.

Available in Black or White

(Code SPU)

## Polyester Sta-Tape

NB5007	0.25"	Unbleached
NB5007B	0.25"	Black

## Polyester Kick Tape


SK15	15mm
------	------

## Linings

An exciting range of Linings, manufactured to exactly high standards on modern equipment and containing qualities suitable for all types of garments.

LA73	Acetate Satin	140cm
LA10	Acetate Taffeta	140cm
LPJ	100% Polyester	152cm

## Fusible Tapes




Using fusible transfer tape eliminates blind stitching for chest pieces or trouser turn-ups & improves quality whilst increasing productivity. It is ideal for use with the following applications;

- Badges & embroidery backing
- Jeans belt loops
- Facings
- Fly facing
- Shoulder Pads
- Turn-ups
- Buttonholes
- Linings
- Side pocket turn-ups
- Collars

### Specifications

Code	Type			Range
WEB98	Web	Without Paper	20gsm	110-120C
WEB91	Web	Without Paper	20gsm	105-115C
WEB16	Net	Without Paper	30gsm	110-115C
WEB11	Net	Paper Backed	30gsm	110-115C


100m per reel



## Fusible Interlinings

All rolls are 150cm wide x 100m.

W20610	White & Black	30gsm
W90830	White, Charcoal & Black	58gsm
W80430	White & Black	40gsm
N10430R	White & Charcoal	43gsm
W16020	Optic White, White, Black & Charcoal	



A competitive range of Interlinings including Wovens, Knitted, Non-Wovens, Fusibles & Sew-in.

Swatch books available free of charge on request

## Non-Woven (Stitched Reinforced) Fusible (NW(SR)F)

Code	Desc.	Width	Colour	Application
BRT861	NWSRF	90cm	White	Small Parts, Waistbands
BRT864	NWSRF	90cm	Grey	Small Parts, Waistbands
BT941	NWF	90cm	White	Blouses, Small Parts
BT944	NWF	90cm	Grey	Blouses, Small Parts
BT971	NWF	90cm	White	Blouses, Small Parts
BT974	NWF	90cm	Grey	Blouses, Small Parts
NW9125C	NWF	90cm	Grey	Blouses, Small Parts
A931A29	NWF	90cm	White	Blouses, Small Parts
V621A09	NWF	90cm	White	Waistbands
V624A09	NWF	90cm	Grey	Waistbands

## Non-Woven Sew-In (Not Fusible) (NWS)

Code	Desc.	Width	Colour	Application
NW315W	NWS	140cm	White	
NW315C	NWS	140cm	Grey	
NW415W	NWS	140cm	White	
NW3055W	NWS	140cm	White	
NW4055W	NWS	140cm	White	

## Woven & Knitted Fusible

Code	Desc.	Width	Colour	Application
826977W	Woven	90cm	White	Shirts
826977K	Woven	90cm	Black	Shirts
860993W	Woven	90cm	White	Shirts
860993K	Woven	90cm	Black	Shirts
R651F57	Knitted	150cm	Natural	Front Fusible
R653F57	Knitted	150cm	Black	Front Fusible
R811N29	Knitted	150cm	White	Dresses, Jackets
R813N29	Knitted	150cm	Black	Dresses, Jackets
013078N	Knitted	150cm	White	Difficult Fabrics
013078B	Knitted	150cm	Black	Difficult Fabrics
075413E	Knitted	150cm	Natural	Front Fusible
075413K	Knitted	150cm	Black	Front Fusible
R171G57	Knitted	150cm	Natural	Front Fusible
R173G57	Knitted	150cm	Black	Front Fusible



**Canvas & Felt**

Code	Description	Width	Colour
CANV931W	Sew In Chest Canvas	160cm	Grey
V251A02	Fusible Chest Felt	90cm	White
EB2560	Fusible Chest Canvas	90cm	Grey

**Calico**

Beautiful quality of unbleached cotton used to make mock versions of garments prior using primary fabrics.  
Weight of fabric to correspond weight of final fabric being used.

Code	Description	Width	Length
CALL120	Lightweight	122cm	100m
CALNM160	Mediumweight	160cm	50m
CALH153	Heavyweight	153cm	50m

We can offer short rolls from 10m and over but please note a surcharge is applicable per roll.

**Water Soluble Embroidery Backing**

This product has significant advantages over traditional non-woven & heatseal backings

- Dissolves completely when steamed
- Waste handling reduced to minimum quantities
- Embroider onto netting without damaging threads on removal
- Less overall thread breakage
- Faster tear-off
- If not removed, backing will dissolve in first wash
- Non-toxic & fully biodegradable
- Universal quality—used as either backing or tapping

CE001	150mm	Universal	200m
CE005	150mm	Extra	150M

**Dinner Jacket “Tuxedo” Facings****Suitable for Dry Cleaning & Water Sponging**

Quality bonded synthetic facings with the appearance of real silk.  
Tested for durability in 20 simulated washes.

**Satin Finish Facing**

TUXBK	Black
TUXMB	Midnight Blue

68% Polyester, 12% Foam, 20% Nylon Tricot. 140cm wide  
Other colours available to special order are bottle green, maroon, light grey, dark grey, cream and white.

**Trouser Braid**

TB13	Black	13mm
TB16	Black	16mm

100% Polyester. Supplied on 40 meter reels approximately

**Fancy trouser Braid**

TBF15	Black	15mm
-------	-------	------

**Undercollar (Melton)**

SCP	220gsm	100cm x 50m
Add following numbers to code to denote colour		
<b>599</b> —Black	<b>596</b> —Charcoal	<b>559</b> —Navy
<ul style="list-style-type: none"> <li>• 100% Polyester Undercollar Melton</li> <li>• Suitable for dry cleaning &amp; machine wash</li> <li>• Highly stable—Medium 1% shrinkage</li> </ul>		

**Waistband**

We manufacture waistband “In House” & are able to apply any of the following feature: Fully Fused, Stitched, Circular, Printed, Rubberised, Piped, Curtain Style.

All manufacturing is carried out to our customers specifications using either our own materials or our customers if they prefer.

Samples are available free of charge.

**Typical Waistbands - 100 Metres**

	Width	Colour
<b>Nylon</b>		
Rubberised with interlining ‘edge-to-edge’		
WB100W	57mm	White
Plain with interlining ‘edge-to-edge’		
WB114N	57mm	Natural
Rubberised with interlining ‘edge-to-edge’ & 25mm stiffener		
WB120N	57mm	Natural
WB120B	57mm	Black
<b>Poly Cotton</b>		
With Non-Woven & 32mm stiffener		
WB427B	57mm	Black
Fused circular poly cotton tube		
WB286	45mm	Natural
Rubberised with interlining & edge stitched down		
WB352	50mm	Natural

**Waistband Stiffener****Woven Nylon—150gsm**

STIFF25	25mm
STIFF32	32mm

Available in white only

**Trouser Pocketing**

PC6021IV	150cm	Natural	P/C 65/35
PC6021B	152cm	Black	P/C 50/50
NYLBK2	152cm	Black	Nylon 20z

**Wadding**

Wad100W	Polyester Wadding	100gsm
Wad200W	Wool Blend Wadding	200gsm
HPW79125W	Polyester Wadding	40gsm

### Bias Binding—Poly Cotton 50/50

Typical widths - 25cm (CB25) , 32cm (CB32), 38cm (CB38) and other widths upon request.  
All bias binding supplied flat.

### Straight Cut Nylon Tape

Typical widths—15mm (ST15), 25mm (ST25), 32mm (ST32) and other widths upon request. Available in Natural, White, Black etc.

### Bias Binding and Slitting Service

We can slit any width from 10mm to 37cm.

### Hookflex Hooks & Bars

A complete range of Hooks & Bars, Press Studs & machinery for fitting

#### Men's Standard Fittings (per 1000 in steel)

HF11/14	4-piece set
HF11	Hook
HF12	Backplate
HF13	Bar
HF14	Washer

#### Men's & Jeans Crushproof Fittings

HF61/64	4-piece set
HF61	Hook
HF62	Backplate
HF63	Bar
HF64	Washer

#### Press Studs - Metal

031B09N	9mm Ring Set
031B9NM	Duo Stud
031B9NR	Ring Snap
031B9NS	Socket

### Hookflex Fitting Machinery

#### Ratchet Controlled Manual Press Machines

RATPRES Foot Operated Machine  
HANDPR Hand Operated Machine  
Foot machines leaves hands free for positioning  
Table included with foot press.  
Dies & tooling not included.



HANDPR



RATPRES

#### Eyelet and Ring Sets

Size 200	3/4mm ID
Size 500	5mm ID
Size 700	6mm ID

Sold as sets only. Available in Gilt, Bronze and Nickel Plated. Available for multi purpose electrically operated foot press.



Nickel



Gilt



Bronze

HF61



HF64



HF62



HF63



NICKEL



BLACK NICKEL



031B/AR9  
9mm RING



031B/B  
SOCKET



031B/CW  
DUO STUD



031B/AR9  
9mm RING

## Labels

Woven and printed labels in any size and style, designed and made to order to your exact specification.

### Woven Labels

100% polyester; Taffeta, Damask & Satin

Supplied cut & end folded, cut & looped, cut & sealed. We will supply artwork and / or a woven sample FOC for approval before production of bulk order.

MOQ - 500.

Delivery around 2-3 weeks from approval of sample and artwork. Prices available upon request.

### Woven Size Labels

LSIZW Black on White 1000  
 Sizes available; S, M, L, XL, 8, 10, 12, 14, 16 & 18

### Woven Hanger Labels

'Made in England' & 'Made in Scotland' branded labels

MIEHGB Gold on Black	England	1000
MIEHSB Silver on Black	England	1000
MISHSB Silver on Black	Scotland	1000

### Swing Tickets

Price is dependent on size, style, number of colours and quantity.

MOQ - 1000.

Delivery around 2-3 weeks from approval of artwork.

### Printed Labels

Supplied on polyester satin—white, cream or black.  
 Cotton or antifrill;  
 On a roll, cut & end folded, cut & looped or cut single.

MOQ - 1000.

Delivery around 2-3 weeks from approval of artwork.

### Express Label Service

Polysatin printed labels supplied on a roll

Printed on white polysatin ribbon with black, red, blue or green text. Particularly useful for wash care instructions but we can produce most designs and also make small orders.

Delivery usually within 3-4 days.

We offer various widths of ribbon and also supply black ribbon and anti-fray ribbon.

MOQ - 100 per size.

We can also print none-standard size tabs.

Please request a free information pack including samples.





WRDS13

WRDS13NT

TSA34B

AC42NB

HNF44EN

EIG24

HPAD2K

TGUARDLT

IC130B

TSA45B

AEK41

ENR2

MSH41R

CPS34

TSA46NB

**Wire Coat Hangers (13.5g)**

Code	Description	Qty
WRDS13	16" Silver	500
WRDS13NT	16" Silver with Notch	500
WRDCW	16" White	500
WRDS18W	18" White	500

**Trouser Guards**

TGUARDLT	Latex coated card	2500
----------	-------------------	------

**Hanger Pads - For Trouser Clip**

HPAD1K	50 x 90mm x 6mm
HPAD2K	25 x 90mm x 6mm

**Trouser Clips**

T/CLIPW	37mm in White
---------	---------------

**Children's**

TSA34NB	34cm Jacket - No Bar	325
TSA34B	34cm Jacket - With Bar	65
IC130B	30cm Children's Top Hanger	1200

**Tops**

Code	Description	Size	Qty
AEK41	Blouse/Dress/Top	41cm	600
ENR2	Blouse/Dress/Top	41cm	550
MSH41R	Tops - Anti Slip	41cm	500

**Jacket/Suit**

Code	Description	X-Section	Qty
JT38NB	38cm Jacket - No Bar	32mm	200
JT42NB	42cm Jacket - No Bar		200
AC42NB	42cm No Bar - Ladies		200
TSA46NB	46cm Jacket - No Bar		140
TSA45B	45cm Jacket - With Bar	20mm	65
TSA42NB	42cm Jacket - No Bar		140
HNF44EN	44cm Jacket - No Bar		200

**Trouser/Skirt**

CEY45	Small Sprung	29-45	550
CEY51	Medium Sprung	36-51	400
EIG24	Trouser/Skirt Sliding Peg	24cm	350
EIG36	Trouser/Skirt Sliding Peg	36cm	300
EIG40	Trouser/Skirt Sliding Peg	40cm	250
CPS34	Trouser Hanger	34cm	500

**All Hangers sold in full boxes only**

## Shirt Boards & Squares

We have many designs available, or boards can be made to any size & shape on request.

## Polypropylene Shirt Bags

All 200 gauge cast polyprop with self seal strip and PWN

PPBAG1	152 x 254 + 40mm lip
PPBAG2	203 x 265 + 40mm lip
PPBAG3	203 x 519 + 40mm lip
PPBAG4	254 x 360 + 40mm lip
PPBAG5	285 x 250 + 40mm lip
PPBAG6	285 x 410 + 40mm lip + 40mm open bottom gusset
PPBAG7	305 x 411 + 40mm lip
PPBAG8	400 x 410 + 40mm lip
PPBAG13	330 x 470 + 40mm lip + 40mm open bottom gusset

## Polypropylene "Self Seal" Bags—150g

With 5 language Printed Warning Notice

PJ1417W	14" x 17" + 1.5 flap
---------	----------------------

Packed 1,000 bags

## Commercially Acid Free Tissue—17gsm

MG bleached. Manufactured "Acid Free" to reduce staining of items when packed

AFT4570 45 x 70cm

480 sheets per ream. Colour White only.

Acid Free Tissue can be printed - Minimum 60 reams, P.O.A

## Plastic Shirt Clips

Used on folded bagged shirts.

ECTIE	Elastic Tie Backs	
M38CLIP	38mm	Clear

## Cuff Studs

CUF5W	White
-------	-------

## Collar Supports/Stoffers

Placed inside neck of shirt or blouse

		Per 1000
ST374725	37 x 470mm	250 micron
ST374730	37 x 470mm	300 micron
ST375125	37 x 510mm	250 micron
ST375130	37 x 510mm	300 micron
ST414725	41 x 470mm	250 micron
ST414730	41 x 470mm	300 micron

## Neckstrips-Card & Plastic

Per 1000

Placed on the top button and under collar of shirt or blouse—used on conjunction with Stoffer to prevent crushing during transit & aids presentation at point of sale.

NSN198P 485 x 36mm

The above is the longest - used for formal shirts

NSN095P 370 x 20mm

NSN082P 435 x 25mm

NSN089P 310 x 33mm

NSN160P 440 x 36mm

## Butterflies

Placed underneath collar and secured by collar button

BUTB02 125 x 32mm 250 micron

BUTF711 132 x 28mm 250 micron

## Collar Stays - Loose

White PVC—600 Micron used mostly in bespoke shirts-inserted into pocket underneath collar they are removable for laundering purposes.

LSTW1057 10 x 57mm

LSTW1060 10 x 60mm

LSTW1069 10 x 69mm

LSTW1264 12 x 64mm

Sold in bags of 2000

## Collar Stays - Adhesive

Clear Polyester—250 Micron. Sew in stays on tape for ease of positioning.

AST0262 12 x 64mm - 12mm Tape

AST0202 12 x 58mm - 19mm Tape

Sold on reels of 5000. Other sizes of Stays.

## Clear PVC Tie Sleeves

PVC has high transparency to show the tie at its best & gives a crisp crackle to the sleeve

K475285 120 x 55 x 740mm

Boxed in 1500's. Sold in full boxes only

Other sizes available to order—minimums apply





## Tag Guns

TAG-GUN  
D10651

Tachit-2 Standard Tag  
Avery Dennison Regular Tag

## Parts for Tag Guns

TAGBLD  
Replace every 250,000 cuts

Cutter Blade

## Needles for Tag Guns

TAGNED  
TAGNED2  
TAGFNE  
TAGFNDL  
D05012

Standard Length for Standard Tag  
Long Needle for Standard Tag  
Standard Length for Fine Tag  
Long Needle for Fine Tag  
Standard Needle for Dennison Tag

All boxed in 5's except TAGSFNE boxed in 3's

## Standards Tags

Available in sizes - 13mm, 20mm, 25mm, 40mm, 50mm, 65mm  
(Code TAG13MM etc) Boxed in 5,000's

## Fine Tags

Available in sizes - 11mm, 15mm, 25mm, 35mm, 45mm, 65mm  
(Code TAGF13 etc) Boxed in 10,000's

## Nylon Fine Micro-spaced Tags

Available in sizes - 15mm, 20mm, 25mm, 50mm, 65mm  
(Code TAGM15 etc) Boxed in 10,000's

## Nylon Heavy-Duty Tags

Available in sizes - 15mm, 20mm, 25mm, 40mm  
(Code TAG15MH etc) Boxed in 10,000's

## Hook Tags

TAG202 - 25mm Boxed in 5,000's

## Beaded Ties

TAGB125 - 125mm (White)  
TAGK145 - 145mm (Black)

## Cable Ties

N140/30 140mm x 3.6mm  
N120/50 120mm x 4.8mm  
N300/50 300mm x 4.8mm  
Discount available for bulk orders



## Specialised & Industrial Cleaners

A823ME Smooth Fuse Belt Cleaner 500ml  
EEZ/OFF Eez-Off Iron Cleaner 5.25 oz

All aerosols & cleaning products should only be used in well ventilated areas.

## Electric Cleaning Guns

CM16 Spot Cleaning Gun  
D SPOT Cleaning Fluid for Gun 5 litre  
K7LO Low Odour Cleaning Fluid 5 litre

Fume extraction is recommended when using cleaning gun fluids.

## Aerosols

AERO1	Silicone 10%	400ml
A1-LUB	Silglide Silicone 12%	400ml
AERO3	Anti-Fray Edge Sealer	400ml
AEROHT	Heavy Tack Adhesive	400ml
AERO6	Anti-Static	400ml
AERO7	Staclean Blended Spot Remover	350ml
AERO82	Pullout 2 Ring Remover	400ml
40051-B	Easy Slide Silicone Spray	16oz
40051-FC	Foaming Spray	16oz
A63	Fast Tacking Adhesive	500ml



## True-Cut End Cutter


### Manufactured in London

Manufactured to cut a wide range of material:

- Polyester
- Cottons
- Wool
- Fur
- Foam
- Quilted
- Plastic Sheeting

Product Variations can Include:

- Automatic cut and return
- Manual operated cutter
- Hot blade fuse cutter
- Air operated cutter
- Automatic, manual, independent, lifting clamps



Technical Features:

- Simply clamped on one side of the table
- Electronic ply counter
- Self-oiling machine head.
- Adjustable cutting widths
- Lay height up to 34cm (13")
- Life guarantee on cutting head shuttle
- Emergency stop pre-set safety Guard

Our Tru-Cut end cutter is simple and easy to use. It has been designed to deliver the performance you need and be safe to use whilst being cost effective. The machine itself is extremely customizable, various textiles can be cut and the and we can build it in various lengths. In addition to this we can make customizable adjustments to meet most requirements that you may have, please contact us to discuss further.

	Manual Operated ECM10	Semi Automatic ECS-49	Fully Automatic ECA-70	Air Operated ECP100	Hot Blade Fuse Operated ECH-1
Motors:					
110V-1PH	•	•	•		•
220V-1PH	•	•	•		•
240V-1PH	•	•	•		•
510-70 PSI				•	
Automatic Operated		•	•	•	•
Manual Operated	•				
Auto Lifter			•	•	
Manual Lifter	•	•			•
Auto Start		•	•	•	•
Auto Stop	•	•	•	•	•
Ply Counter	•	•	•	•	•
Set Cutting Width	•	•	•	•	•
Compression Foot	•	•	•	•	•
Blade Size	•	•	•	•	
Cutting Capacity	100mm	100mm	100mm	100mm	
Table Width Available - 168cm - 183cm - 214cm - 229cm					

## Genuine Eastman Round Knife Blades (USA)

Code	Size	To Fit	Steel	Edges
080C01-0123 2	2.25"	Chickadee & Buzzaird	HS	4-sided
080C01-0133 2	2.25"	Chickadee & Buzzaird	HS	8-sided
080C01-0147 2	2.25"	D2 Chickadee	HS	Round
080C01-0149 2	2.25"	D2 Chickadee	HS	6-sided
080C01-0114 1	2.25"	BB Machine	Carbon	Round
080C01-0114 2	2.25"	BB Machine	HS	Round
080C01-0138 1	2.5"	BB Machine	Carbon	6-sided
080C01-0084 1	3.25"	Falcon (old style)	Carbon	Round
080C01-0084 2	3.25"	Falcon (old style)	HS	Round
080C01-0145 2	3.25"	Falcon (new style)	HS	6-sided
080C01-0141 1	3.25"	Falcon (new style)	Carbon	Round
080C01-0059 1	4"	Round Knife	Carbon	Round
080C01-0059 2	4"	Round Knife	HS	Round
080C01-0061 1	5.25"	Round Knife	Carbon	Round
080C01-0061 2	5.25"	Round Knife	HS	6-sided
080C01-0039 1	6"	Round Knife	Carbon	Round
080C01-0039 2	6"	Round Knife	HS	Round
080C01-0077 1	7.5"	Round Knife	Carbon	Round
080C01-0077 2	7.5"	Round Knife	HS	Round



Blades can also be supplied with Teflon coating or grooved.

Slitting blades 15" & 18" diameter can be supplied to fit many other machines.

## Genuine Eastman Straight Knife Blades (UK & USA)

Code	Size
080C06-0000 2	6"
080C08-0000 2	8"
080C10-0000 2	10"
080C11-0000 2	11.5"
080C13-0000 2	13"



**Carbon Steel** - Economical blades. Carbon blades are softer than high speed steel. These blades sharpen easily because of the softness of the carbon.

Carbon blades are available in the following variations:

- Straight Front: Soft goods such as cotton, fleece, wool, jersey or knit fabric.
- Saw Tooth: Carboard
- Wave Edge: Materials that fuse such as rayon, nylon, urethane or other synthetics.

**High Speed Steel** - Premium quality hardened steel. These blades keep their sharp edge longer than the carbon blades. High speed blades are offered in the following variations:

- Straight Front: Soft goods such as cotton, fleece, wool, jersey or knit fabric.
- Round Tip/Angle Tip: Hard goods such as denim, canvas, duck and Kevlar.
- Saw Tooth: Cardboard.
- Wave Edge: Materials that fuse such as rayon, nylon, urethane or other synthetics.

**Teflon Blades** - Some straight front and Wave Edge blades are available with a Teflon Coating which reduces blade heat while cutting. This prevents material from fusing during cutting.

Copy blades can be supplied to fit many other machines. POA

We supply straight knives for most popular types of cutting machine.





## Genuine Eastman Sharpening Bands

181C02-0005	Blue	Fine	120 grit
181C02-0002	Green	Medium	100 grit
181C02-0001	Red	Coarse	80 grit
181C02-0006	Black	Rough	60 grit


Available in Eastman GB, Eastman USA & budget range  
**100 bands per box**

## Genuine Guide for Using Straight Knife Sharpening Bands

Code	Grit	For Cutting
Blue	Fine	Synthetics, Blends, Knits, Loose Weave, Silk, Delicates, High Pile, Quilting
Green	Medium	Raylon, Polyester, Cotton, Light Woollens, Suiting
Red	Coarse	Heavyweight Cotton & Wool, Tight Weaves, Lining, Light Denim, Outerwear, Soft Leather
Black	Rough	Heavy Denim, Corduroy, Coated Fabric, Heavy Leather, Canvas, Sailcloth

## Bristle Blocks

BR14P	4 x 4"	Polyester	125
BR14NBK	4 x 4"	Nylon	125
BR14S	4 x 4"	Polyester	175
BR12G	2 x 2"	Nylon	900
BRGTXL	4 x 4"	Nylon	125



## Eastman Round Knife Sharpening Stones

	To Fit	Grit
541C01-0022	Chickadee	180
541C01-0009	4.25" & 6" Round	120
541C01-0010	4" Round	120
133C1-12	Ragcutter & Cardinal	120


**Stone with shaft**

**Sharpening Stones also available for Band Knives**



## Machine Oil

242C01-0000	Eastman Cutting Machine Oil	1/2 pint
242C01-0001	Eastman Cutting Machine Oil	1 pint
TWL-5	Clear Sewing Machine Oil	5 litres
P130	Sewing Machine Oil	5 litres
P130C	Clear Sewing Machine Oil	5 litres
P131	Sewing Machine Oil	1 litre
P131C	Clear Sewing Machine Oil	1 litre







## Eastman Cardinal Series

Designed for cutting large radius curves or straight lines, Eastman are the NO. 1 choice for round knives around the world. With four different blade sizes, horsepower ratings & custom engineered gear ratios to choose from, there is an Eastman Cardinal to suit most round knife applications. The sharpening system creates a perfect double bezel eliminating the need for a shear plate.

**Extra Heavy Duty Model 567** - Our most powerful round knife. Equipped with the same high-torque motor as the Brute straight knife together with a dual speed option offers versatility & utility plus massive power making it capable even of cutting deep canvas or denim lays.

**Heavy Duty Model 562** - Although less powerful than the 567, this model features an idler gear providing increased torque. Combined with blade speed, the 562 is ideal for most general cutting of canvas, cotton & woollens.

**Standard Model 548** - This general purpose model delivers the same wide range of uses as the 562 but with the advantage of a smaller, lighter package.

**Lightweight Model 534** - Specially designed for low lays of wool, cotton, silk & synthetics, this machine is lightweight for good manoeuvrability.

### Specifications

	567		562		548		534	
Blade Size	6"	7.5"	6"	7.5"	4"	5.5"	6"	4"
Cut Capacity	3.5"	5.5"	3.5"	5.5"	2.5"	3.5"	3.5"	2.5"
1 Phase Power	1.25hp		.65hp		.34hp		.2hp	
3 Phase Power	2.2hp		.93hp		.48hp		.34hp	
Weight	13.6kg		13.6kg		9.52kg		7.26kg	
Dual Speed	Optional		Optional		n/a		n/a	

## Eastman Small Round Knife Range

For cutting that demands the stability of a round knife & the agility of a straight knife, we offer a small round knife model **BBB 32 Little Giant** which is fitted with a hexagonal blade.

### Specifications

#### BBB 32

Blade Size	3.25"
Cut Capacity	5/8"
Horsepower	0.10hp
Weight	1.87kg
Dual Wheel	Twin
Sharpener	Stones





Brute Model 627

Backed by over 100 years of experience, Eastman straight knives are renowned the world over & are the standard by which all others are measured. Available with both standard & heavy duty motors, a choice of four blade strokes, four grades of sharpening belts, dual speed option or the latest 'Auto-Stop' model so that each machine can be matched to the customer's needs.

### Brute® Model 627

The Brute is the most powerful cutting machine available it boasts all the features of the Blue Streak II but with more horsepower to make it ideal for cutting extra heavy cloth.

### Blue Streak II® Model 629

With unmatched versatility, this model is the obvious choice when one machine is required to perform many roles. With a low centre of gravity for easy handling & featuring the best power to weight ratio in the industry, the Blue Streak II provides maximum productivity with minimal fatigue.

### Blue Streak II® Model 629XS

### Auto-Stop & Brute® Model 627XS Auto-Stop

Based on the standard Eastman straight knives but with the advanced auto-stop safety system. Operator must hold the handle with one hand & press the button with the other hand to start the machine, If the operator lets go of the handle for more than a split second, state-of-the-art circuit board controls will stop the moto & the guard is automatically dropped, thus preventing the machine from running while unattended. The hand is also cushion gripped for additional comfort.

#### Specifications

	Blue Streak II 629			Brute 627	
Weight	15.4kg			16.7kg	
Horsepower	1 Phase 0.65hp			1 Phase 1.25hp	
	3 Phase 0.93hp			3 Phase 2.20hp	
Dual Speed	Optional			Optional	
Blade Size	6"	8"	10"	11.5"	13"
Cut Capacity	4.5"	6.5"	8.5"	10"	11.5"



Blue Streak Model 629





Offering the ultimate in manoeuvrability, these machines are the ideal solution to low quality cutting jobs such as intricate markers, single ply cutting, one of a kind patterns, samples & reworks.

### Eastman Chickadee® Model D2

The smallest round knife available, the Chickadee® II is powered by Eastman's Permafield motor giving 40% more power than any other hand held knife its size. This, combined with its streamlines, lightweight construction helps eliminate operator fatigue. Equipped with either a round blade for general use or a hexagonal blade for sheer or difficult fabric, it has a cutting capacity 25% greater than competitiveness models. The Chickadee® II also features a totally enclosed sharpener for faster & safer sharpening, easily accessible motor brushes & an integrated power switch for rapid response & fatigue free operation. It is versatile too, with a choice of four base plates & cutting tips dependant on your specific use.

### Eastman Buzzaird®

More powerful than any other cutter of similar size & more than three times as powerful as the Chickadee II, the Buzzaird is a pneumatic shear requiring 60-90 psi compressed air for operations. With no electric motor to burn out, it is completely safe to use in wet areas. It is able to handle extremely tough fabrics including most heavy, dense rubbers & plastics.




### Optional Bases for Chickadee® & Buzzaird®

Type	Usage
<b>Stabiliser Shoe</b> (Chickadee only)	General purpose foot attachment
<b>Broad Stabiliser</b> (Chickadee only)	For additional stability
<b>Baseplate</b> (Chickadee only)	With needle rollers for high accuracy cutting
<b>Ball Tip</b>	Slitting tubular knits & other loose weave fabrics.

### Eastman Auto Track Falcon® End Cutter


The travel of the Auto Track's cutting head & the lifting/lowering of the track mechanism are motorised. The knife can be activated either at the control panel or by the remote control. The system is totally enclosed & can be installed in minutes. The control panel includes controls for:

- Automatic cutting cycle on/off
- Track speed
- Cutting width
- Ply counter
- Blade sharpening



### Eastman Falcon® Air/Pneumatic End Cutter

An adaptation of the Buzzaird hand held round knife, the Falcon Air/Pneumatic offers the most power in the smallest package of any Falcon type cutter. Ideal for cutting heavy rubber & plastic sheeting's & is also suited for use in wet areas where electric power is not appropriate. Includes the same standard features as the electric Falcon IV. Required 60-90 psi compressed air.





### Eastman Falcon® IV End Cutter

The track guided Falcon enables the operator to make a fast, perfectly square cut of virtually any fabric, even quilted fabrics & foam up to 11/2" thick. It is equipped with an integrated on/off switch that activates the knife motor only when the head is moved away from its resting position & it can be supplied with a lifting mechanism which allows the track to be raised above the cut ply & then lowered onto the lay, keeping the cut ply aligned at the cut end. The optional Cloth Alignment Bar (CAB) serves as a guide to enable the operator to lay & align each ply perfectly. The CAB is also available with a lifting mechanism so that it can be raised & laid on top of the lay after each ply. An optional bias attachment is available to permit track guided cutting at any angle. Using the clamping brackets, the Falcon IV is fitted to any type of cutting table in seconds & is supplied with a standard 40" handle for use on tables up to 72" wide. Longer handles are available on request.



#### Specifications

	Falcon IV	Auto Track	Air/ Pneumatic	Chickadee D2H
Blade Size	4"	4"	3.25"	2.25"
Cut Capacity	1.25"	1.25"	1.5"	1.5"
Power	0.15hp	0.15hp	0.33hp	0.10hp
Weight	2.44kg	2.44kg	2.27kg	1.59kg
Table Width	48"-144"	48"-144"	48"-144"	n/a

### Eastman MP2 Magnum Punch Perforator™



Used extensively in the upholstery trade, permanent markers are made from heavy pattern paper through which a series of holes are punched to form the patterns. Lay powder is then dusted through the holes to leave an outline of the patterns on the top ply of fabric. The Punch Perforator is a solid state machine which cuts four clean holes per inch. It features adjustable punching

strength, three sizes of hole, and a single switch to change between free-wheeling, single punch, or continuous punching. A special underlay pad is available to prolong punch head sharpness.

### Eastman Hawk CDL Cloth Drill & CDLH Hot Drill™

For marking buttonholes, darts or patterns through the entire lay. Available in 6", 8" & 11 1/2" capacities & with hole diameters ranging from 3/64" up to 3/8". The balanced actuating lever allows almost effortless operation & reduces distortion of the lay. With the attachment of a thermostatically controlled heating element the drill can leave marks in loosely woven & knit fabrics & can be used to fuse synthetic fabric through a lay eliminating distortion.




### Eastman HVN Hot Notcher



Ideal for placing notches in the lay instead of using a straight knife as the depth adjustment control makes it impossible to notch too deeply. When synthetic fabrics are spread, the Hot Notcher can be used intermittently along the edge of the lay to seal the plies together & eliminate distortion. It has a depth capacity of 10" & a variable heat control from 204° C to 677° C.

### Eastman LTM Threadmarker

The Threadmarker inserts a string through each ply of a lay. The thread is then looped around the cut pieces & ties to create a bundle. It can also be used to temporarily mark delicate fabrics when a permanent mark is not desirable. Maximum capacity is 6".





### Conveyorized Automatic Fabric Cutting Machine

Long lasting bristle allows the knife to penetrate without damage. Automatic knife re-sharpening eliminates hanging threads and ensure quality cut parts from top to bottom ply. The user friendly keypad controls many machine functions at the cutter. Software screens and operating manuals available in English and other languages if required. Sorting conveyor with clearing zone, approx. 1625mm length.




Cutting Height	50mm
Cutting Speed	80 m/min
Vacuum Power	12 kW
Installed Power	16kW
Noise	<80 dBa
Fabric Cutting Width	1600-2800




Monitoring Of All Parameters On Display




Automatic Knife Oil Lubrication




High Speed Cutting Head



Senses deflection of the blade caused by cutting difficult materials or high-ply spreads and changes the blade angle to compensate for this deflection. This results in more accurately cut parts and makes it possible to nest parts closer together to achieve outstanding material utilisation.



Vortex Knife Cooler is designed to cool the knife with a tube to reduce fusing between plies when cutting difficult fabrics



User Friendly Keypad & Resealer





Automatic spreading machine allows spreading of a full range of available fabrics: from very delicate, thin, elastic and difficult to spread, to thick, heavy fabrics like jeans. The machine is equipped with a cradle with belt feeding, driven all spreader wheels, operator's platform and easy to use touchscreen MN1 spreading machine is available in different max. Working widths ranging from 160-320cm.

### Main Advantages:

- Elimination of manual spreading and layering of fabrics which is the weakest part of the cutting room production chain
- Several times increase of spreading efficiency for each type of fabric
- Only one operator results in significant reduction of work costs
- Very fast spreading of materials for small series and single production orders
- Constant quality of spreading independent of length of spread marker with elimination of fabric tensioning in different layers what's a typical problem for manual spreading
- Easy and intuitive operation, possible also for not-qualified personal
- Perfect reliability of operator assures continuous production and lowest possible costs of maintenance
- Fast and solid service assured by experienced technicians



**Flat-Fold Attachment**



**Automatic Cutting Device**



**Tubular Unit**



As the main UK agent for Juki 7 Union Special sewing machines we are able to offer a product range to suit every application, combined with dedicated sales force, service team, parts department & years of knowledge & experience that is second-to-none. We can also supply many other brands of sewing machines to suit customers own requirements.

## Product Range;

- Lockstitch
- Chainstitch
- Blindstitch
- Flat Seam
- Hemming
- Zig-Zag
- Overlock/Safety Stitch
- Button Sew
- Button Hole
- Bartacking
- Pocket Setting
- Computer Controlled Cycle Machines
- Automatic Machines
- Bag Closure & Making



**DLN-5410 - Lockstitch**

Computer-controlled, High-speed, Lockstitch, Button Sewing Machine. Available with the worlds first Bird's nest prevention and also available with button feeder.

- ⇒ Sewing speed of 2700 sti/min
- ⇒ Needle thread grasping mechanism = consistent knot tying.
- ⇒ Provided with 50 different sewing patterns.
- ⇒ The machine is provided with an active tension mechanism.
- ⇒ Auto-lifter mechanism that helps reduce operator fatigue.
- ⇒ The dewing starting point can be corrected.
- ⇒ Oil stains are eliminating as advanced dry-head technology means the frame no longer requires lubrication.
- ⇒ Eco-friendly power saving



**LK-1903B - Button Sew**

Single-thread, Chainstitch, Button Sewing Machine

- ⇒ Thread-fray-prevention ON/OFF changeover mechanism to help produce beautiful seams with added durability.
- ⇒ Speedy sewing, this machine sews buttons with an optimum number of stitches; 8, 16 or 32, according to conditions.
- ⇒ Attachments used for your conventional machines are applicable as they are.
- ⇒ Stitch shape can easily be changed over by operating the lever.



**MB-1370 - Chainstitch**

High-Speed, Overlock / Safety Stitch Machine. A general purpose advanced machine that responds to various kinds of sewing materials and processes.

- ⇒ The machine ensures both beautiful and upgraded seam quality at higher speeds.
- ⇒ Further increased reliability due to the newly adopted needle bar bushings.
- ⇒ Developed with the intention of providing an extended service life.
- ⇒ Devices intended for conventional JUKI machines are also interchangeable.
- ⇒ Subclasses of blind hemming, gathering and for rolling-in tape are available.
- ⇒ Available in 1 needle, 2 needle and safety stitching.



**MO-6700S - Overlock**

Semi-dry-head, Small-cylinder-bed, Top and Bottom Coverstitch Machine. This machine is applicable to the sewing of sleeve cuffs, necklines and children's wear.

- ⇒ Timing Belt Drive method achieves sewing without any loss of driving force. Also, the motor size has been reduced to save energy.
- ⇒ The new model control box and control panel are resistant to voltage fluctuations, noise and vibration.
- ⇒ Micro-lifter mechanism helps reduce the degree of slippage, warpage and damage of the material.
- ⇒ Stitch length adjusting mechanism
- ⇒ Differential-feed micro-adjustment mechanism
- ⇒ Auxiliary cover



**MF-7200D - Coverstitch**



**LK1900BNB - Bartacking**

Computer-controlled, High-Speed, Bartacking Sewing System

- ⇒ Shorter-thread remaining functions means manual thread-nipping is no longer required and gives soft and smooth feeling on the bartack sections.
- ⇒ 3200 stitches per minute
- ⇒ Auto-lifter provided as standard
- ⇒ Dry-head and intelligent direct-drive

High-Speed, 1-needle, Lockstitch, Zigzag Stitching Machine. Produces high-quality soft seams with consistency with a low tension applied to the thread.

- ⇒ Adjustable range of the feed mechanisms has been widened, thereby upgrading the machines responsiveness to materials.
- ⇒ Adjustment for various feed timings and oil quantity in the hook
- ⇒ Stitching pattern changeover function
- ⇒ Silent and low-vibration operation
- ⇒ Attachment-mounting seat improves operability.



**LZ-2280 - Zig-Zag**



**DDL-8700-7 - Lockstitch**

1-needle, Lockstitch Machine with Automatic Thread Trimmer

- ⇒ Reliable thread trimming mechanism
- ⇒ Machine head design that was developed in pursuit of beauty.
- ⇒ Sewing mechanism that demonstrates outstanding responsiveness to materials to be sewn.
- ⇒ The machine provided as standard with attachment mounting seats.
- ⇒ New model control box with energy-saving mode provided.
- ⇒ Two different operation panels
- ⇒ Output control function
- ⇒ Operation measuring function
- ⇒ Bobbin counter function

Refurbished or Used machines may be available, please ring or email for details and requests



## S7300 - Single Needle Direct Drive Lockstitch

This machine comes with an electronic feeding system, digiflex feed that's connected directly with the stepping motor, thread trimmer, thread wiper, automatic back tack, colour LCD touch panel and an integrated sewing light.

Max. Sewing Speed: 4000-5000 spm

Max. Stitch Length: 5.0-7.0mm

High quality sewing, energy saving model.

Available in medium lubrication and semi dry lubrication

## T8420C - Twin Needle Lock Stitch

This machine has a fixed and split needle bar, without thread trimmer.

Fixed Needle Bar: Standard Hook - Large Hooks

Split Needle Bar: Standard Hook

Max. Sewing Speed: 3000-4000 spm

Max. Stitch Length: 4.0-5.0mm

Height of Presser Foot: 7mm



## KE-430HX - Electronic Direct Drive Lockstitch Bar Tacker

This machine has high productivity with a maximum sewing speed of 3300 spm. Perfect for Heavy materials.

Max. Sewing Area: 40 x 30mm

89 Sewing Patterns as standard - 5000 stitches per pattern

Stitch Length: 0.05-12.7mm

Work Clamp Height - 17mm

USB Port Equipped

Needle Cooler

Shuttle Hook

Semi Dry Type

Work Clamp Lifter With Pulse Motor

User0intuitive colour LCD Touch Panel

Thread Trimmer



Many other machines available. Please call us to find out more.





### M900 Series

M932: Safety stitch machines  
M952: Overedges  
M922: Double chainstitch machine


No. of needles: 1-3  
No. of threads: 3-6  
Max machine speed: 7000 sti/min  
Stitch length: Max 5.3mm  
Overedge width: 1.5 - 7.0 mm  
Diff. feed ratio: 1 : 0.7 - 1 : 1.7  
Presser foot lift: max 7.0mm

### M900 Series

Dirt and dust prevention measures strengthened further! Thanks to excellent oil blocking mechanisms, including a totally enclosed needle bar chamber, with a force-drain function and other similar features, the M900 protects your important sewn products from oil stains.

Introduction of the rustproof needle plate. Thanks to surface-treatment, the needle plate is not damaged by fabrics processed with chemical agents and/or dyes.

The M900 series can respond to the use of different kinds of fabrics and/or sewn products by changing the position of the shaft of the presser arm.



### W600PVH Series

No. of needles: 2-3  
No. of threads: 3-5  
Max machine speed: 5500 sti/min  
Main feed movement: 1.0 - 4.4mm  
Diff. feed movement: 0.8 - 6.0mm  
Presser foot lift: max 7.0mm

The needle bar and looper shaft include a newly designed oil seal and bushing, exerting dramatic "Oil Barrier" effectiveness, preventing oil leakage and oil splashes. This "Oil Barriers" feature completely blocks even one drop of oil leaking from the needle bar.

Equipped with the needle thread take-up and safety protection.

Oil circulation by oil pump and equipped with oil filter.

Spreader holder has alignment mark. Reinstalling the spread is easy.



### **EA-9310E4 Needle Feed Lockstitch Machine**

Comes with automatic thread trimmer, integrated semi-oil lubrication and automatic foot lift.

Suitable for Medium-weight fabrics for general or plain operations, low noise level and low vibration. The distance from the machine arm to the needle on the front of the machine head is sufficiently wide to allow easy handling of the sewing material.

Needle length: 33mm  
Distance between stitches: 4.5mm  
Presser foot lift: 5.5/13  
Stiches per minute: 5000

### **EA-8957CE4 Drop Feed Lockstitch Machine**

Comes with automatic thread trimmer and automatic foot lift.

Suitable for Medium-weight fabrics for general or plain operations, low noise level and low vibration. The distance from the machine arm to the needle on the front of the machine head is sufficiently wide to allow easy handling of the sewing material.

Needle length: 30.7mm  
Distance between stitches: 5mm  
Presser foot lift: 5.5/13  
Stitches per minute: 5000



Refurbished or Used machines may be available, please ring or email for details and requests

**All our Eastman Automation industrial sewing machines are Direct Drive unless stated and come complete with table top, unit stand, cotton stand and draw.**





## EA-0311D

### Shuffle Foot Walking foot Machine

Comes with automatic thread trimmer

## EA-0611D

### Needle Feed Walking foot Machine

Comes with automatic thread trimmer

Suitable for Heavy-weight fabrics.

Needle Length: 38mm

Distance between stitches: 9mm

Presser foot lift: 8/16

Stitches per minute: 2200

## EA- 7724E1

### 4 Thread Overlock

## EA- 7725E1

### 5 Thread Overlock

2 Needled integrated super-high speed overlock machine.

Differential feed: 0.7-2.0

Distance between stitches: 3.6

Presser foot lift: 5.5-6.0

Stitches per minute: 6000

With a needle-thread take-up mechanism as well as a looper thread take-up mechanism, to offer upgraded responsiveness from light- to heavy-weight materials with a lower applied tension, it achieves well-tensed soft-feeling seams that flexibly correspond to the elasticity of the material at the maximum sewing speed.



## EA-7723E

### 3 Thread Basic Overlock

## EA-7724E

### 4 Thread Basic Overlock

## EA-7725E

### 5 Thread Basic Overlock

Differential feed: 0.7-2.0

Distance between stitches: 3.6-3.8

Presser foot lift: 5.5-6.0

Stitches per minute: 6000



All our Eastman Automation industrial sewing machines are Direct Drive unless stated and come complete with table top, unit stand, cotton stand and draw.



## EA-7914D4

### 4 Thread Pneumatic Overlock

Auto air suction & thread trimmer

## EA-7915D4

### 5 Thread Pneumatic Overlock

Auto air suction & thread trimmer

Computer-controlled, direct drive, super high-speed, overlock sewing machine

A general-purpose advanced machine that responds to various kinds of sewing materials and processes. From light to heavy weight materials with a lower applied tension, it achieves well-tensed soft-feeling seams that flexibly correspond to the elasticity of the material at the maximum sewing speed.

Differential Feed: 0.7-2.0

Stiches per minute: 6000

Presser foot lift: 6mm

Distance between stitches: 4/6mm

2 x Needles

2 x Loopers



## EA-5600D3-35ZD

### 2/3 Needle Cover Stitch Machine

Cylinder bed, narrow stitch

Needle Distance - 4.8/5.6mm

Stitch distance - 1.2-3.3mm

Presser foot lift - 6mm

## EA-5600D3-01

### 3 Needle Cover Stitch Machine

Cylinder bed, wide stitch

Needle distance - 5.6/6.4 mm

Stitch distance - 0.9-4.5mm

Presser foot lift - 5.1mm

Uses:

Double side cover stitching for light and medium material

Plain seaming

Hemming for underwear & Sportswear

Differential Feed: 0.6-1.3mm

Stiches per minute: 5000

5 Thread

Refurbished or Used machines may be available, please


All our Eastman Automation industrial sewing machines are Direct Drive unless stated and come complete with table top, unit stand, cotton stand and draw.

**EA-1903B-K****Computer Controlled Button Sewing Machine**

Capable of sewing various buttons  
Total Closed, oi-lubricated bearing box

Button size:  $\phi 8$  -  $\phi 20$   
Needle Length: 41.2mm  
Presser foot lift: 14mm  
Distance between stitches: 01-1.0mm  
Stiches per minute: 2500

Applicable button: Shank button, Wrapped-around button, Snap, Label, Metal Button, Stay Button

**EA-1790A-S****Computer Controlled Button Hole Machine for Weavon Material**

Capable of sewing various button holes

1 Needle lockstitch Buttonholing sewing machine application - buttonholing for ordinary cloth, knit, etc.

Stitches per minute: 4200  
Lubrication: Automatic  
Needle Length: 34.6




All our Eastman Automation industrial sewing machines are Direct Drive unless stated and come complete with table top, unit stand, cotton stand and draw.





## Main Features of the Eastman Automation Embroidery Machine;

- User-friendly interface on touch screen panel
- Automatic Turn-off LCD Displayer
- Huger memory capacity (100 million stitches)
- Multi-Task parallel and free shift among tasks (prepare for the next operation during embroidery)
- Storage of frequently used parameters and colour-changing order for each design
- Group management of parameter's, they can be divided into several groups according to their functions.
- Design via USB.
- Input of several design files at one time
- Patch embroidery
- Brake adjustment
- Save start point
- Mechanical maintaining and debugging
- Multi-Language support
- Design output,
- Repetition embroidery



- Cyclic embroidery
- Design compiling
- Letter Design
- Design editing
- Speed adjustment
- Thread-trimming
- Thread-breakage detection
- Cording embroidery
- Resolution - 800 x 480
- Network port speed: 10Mbps
- Control precision: 0.1mm stitch interval
- Stitch range: 0.1mm - 12.7mm

Refurbished or Used machines may be available, please ring or email for details and requests



All Chairs Available With Castors




**B2CHAIR** Upholstered Graphite Swivel Chair with Gas Lift  
Available in colours below



**B3CHAIR** Upholstered Graphite Swivel High Chair with Foot Rest  
Available in colours below



**B4CHAIR** Wooden Swivel Chair Made of High Quality Plywood with Gas Lift



**B5CHAIR** Swivel Chair Made of High Quality Integral Foam with Gas Lift



**B5CHAIRB** High Swivel Chair Made of High Quality Integral Foam with Gas Lift and Foot Rest



**B5CHAIRC** High Swivel Chair Made of High Quality Integral Foam with Gas Lift And Foot Rest



**organ-needle.co.uk**



**0280** - 16x231 Lockstitch Needle

**1500** - 134R Lockstitch Needle



**1560** - 135x17 Needle

**3660** - B-27 Overlock Needle



**1060** - UY128GAS Needle



**134R SES**  
Light Ball Point Lockstitch

**16 x 231**  
Regular Point Lockstitch



**16 x 231**  
SES Ball Point Lockstitch

**135 x 5**  
Regular Point Lockstitch



**B27**  
Regular Point Overlock

**B27**  
SES Light Ball Point Overlock







## MT20

Universal Presser Foot T350

With Teflon base, un-even to length.  
Used to prevent marks on fabrics.  
For single needle lockstitch machines.



## SS18

Invisible Zipper Foot

Narrow right hinged cording  
foot for industrial single needle  
drop feed lockstitch machines



## MT1

High Shank Hinged Presser Foot

Teflon bottom  
Hinged even-toe  
12mm Wide



## 24983TCP

Ultraglide Teflon Bottom Foot

Hinged, uneven, staggered-toe  
standard presser foot



## 36069R1

Right Piping Foot

Fits most high shank Singer, Brother, Juki,  
Consew, Highlead, Pfaff and many other  
industrial sewing machines  
Available in 1/8", 1/16", 1/4"



## 113280-0-01

Brother Hinged Foot



## 12435HN

All Metal Zipper Cording Foot

Screw on for industrial straight stitch  
sewing machines



## 40322SH

High Shank Split Hinged Zipper Foot

For high shank industrial sewing  
machines



## MT2

Teflon Slipper for the MT1 wide  
foot





ES22-ZEBRA



ES22-ROSE GOLD



ES22-WHITE LACE



S22-LEOPARD





ES22-BLUE LACE



ES22-PINKLACE

This Eastman Tailor 22 stitch is a lightweight but strong sewing machine - a worthy addition to any craft room, ideal for beginners or advanced seamstresses alike! The machine benefits from the following:  
Converts from flat bed sewing to free arm sewing, Stitch selection dial, Stitch length control, Zigzag width control - wide to narrow, 22-stitch selection, 4-step auto-buttonhole, Automatic bobbin winding clutch, Twin needle facility, Automatic Needle Threader





### 500 Stitch Machine

With the Eastman Tailor it's easy to get creative with 500+ stitches, features include: superior feed system, 14 buttonhole styles, memory store/recall, monogramming & twin needle facility. Order code: **ES500**

### Semi-Industrial Overlock

18 Stitch patterns auto tension release, build in roll hem, 5 step presser foot pressure adjustment. Order code: **OL400**



### Basic Overlock

It has two needles and can be used as 3 or 4 thread overlocking incorporating the differential feed ratio which is adjustable from 0.5 to 2.25. Order code: **OL300**





## UNIVERSAL NEEDLE

### System 130/705 H

With slightly rounded point, for trouble-free sewing of numerous types of materials.

**Needle size:** from 60 to 120 and also in assorted.

Also available as TWIN and TRIPLE NEEDLE



## EMBROIDERY NEEDLE

### System 130/705 H-E

With light ball point and especially wide eye and groove in relation to the UNIVERSAL NEEDLE to accommodate voluminous thread and woolled threads.

**Needle size:** 75 and 90, also assorted.

Also available as TWIN NEEDLE



## JEANS NEEDLE

### System 130/705 H-J

The medium ball point penetrates thick and solid fabrics easier without damaging the material. The reinforced blade causes less deflection of the needle and reduces the risk of needle breakage and skip stitches.

**Needle size:** from 70 to 110, also assorted.

Also available as TWIN NEEDLE



## JERSEY NEEDLE

### System 130/705 H-SUK

With medium ball point, for knitted fabrics

**Needle size:** from 70 to 100, also assorted.



## HEMSTITCH NEEDLE

### System 130/705 H WING

With a "wing" on each side of the needle blade which pushes the fabric aside. For decorative seams and hemstitching in loosely woven fabric.

**Needle size:** 100 and 120

Also available as DOUBLE NEEDLE together with a UNIVERSAL NEEDLE



## MICROTEX NEEDLE

### System 130/705 H-M

With very slim acute point for easier piercing of very fine or densely woven fabrics. For precise stitching of edges, also for silk, microfibre fabrics, coated materials, foils and artificial leather.

**Needle size:** from 60 to 110, also assorted.



## QUICK THREADING NEEDLE

### System 705 HDK

UNIVERSAL NEEDLE with small slip-in threading slot in the eye. Particularly suitable for easy sliding of sewing thread into eye.

**Needle Size:** 80 and 90



## LEATHER NEEDLE

### System 130/705 H LL

With cutting point (LL = twist point) for easier penetration. For leather, artificial leather and similar materials.

**Needle Size:** from 70 to 120, also assorted

Not suitable for textiles



## QUILTING NEEDLE

### System 130/705 H-Q

Special taper to the slightly rounded point which easily penetrated the thick layers preventing damage to the material. For quilting and patchwork.

**Needle Size:** 75 and 90, also assorted



## STRETCH NEEDLE

### System 130/705 H-S

With medium ball point; special eye and scarf area prevent skip stitches especially in highly elastic materials. For elastic materials and highly elastic knitwear.

**Needle Size:** 65, 75 and 90

Also available as TWIN NEEDLE



## TOP NEEDLE

### System 130/705 N

With very long eye (2mm) in comparison to the UNIVERSAL or EMBROIDERY NEEDLE. For top and decorative stitching with multiple threads and also for replacing missing stitches in embroidery

**Needle Size:** from 80 to 100



## METALLIC NEEDLE

### System 130 MET

With a very long eye (2mm) in comparison to the UNIVERSAL or EMBROIDERY NEEDLE. For sewing with special effect and fancy threads, particularly for metallic threads.

**Needle Size:** 75 and 90, also assorted

Also available as TWIN and TRIPLE NEEDLE





# organ-needle.co.uk



## UNIVERSAL NEEDLE

**Sizes:** 60 / 70 / 80 / 90 / 100 / 110  
**Assortment:** 70/1, 80/2, 90/1, 100/1  
**Applications:** Suede, Corduroy, Organdie, Batist, Linen, Popeline



## JEANS NEEDLE

**Sizes:** 90 / 100  
**Assortment:** 90/3, 100/2  
**Applications:** Jeans, Canvas, Artificial Leather



## JERSEY NEEDLE

**Sizes:** 60 / 70 / 80 / 90 / 100  
**Assortment:** 70/1, 80/2, 90/1, 100/1  
**Applications:** Woven & Knitted Fabrics, Single Jersey, Tricot, Helanca



## TITANIUM NEEDLE

**Sizes:** 75 / 80 / 90  
**Applications:** Embroidery, extreme sewing conditions



## EMBROIDERY NEEDLE

**Sizes:** 75  
**Assortment:** 75/3, 90/2  
**Applications:** Embroidery



## LEATHER NEEDLE

**Assortment:** 90/3, 100/2  
**Applications:** All kinds of leather



## MICROTEX NEEDLE

**Sizes:** 60 / 70 / 80  
**Applications:** Micro fabrics



## EL X 705

**Sizes:** 80 / 90  
**Applications:** Overlock



## METAL NEEDLE

**Assortment:** 90/3, 100/2  
**Applications:** Metallic Threads



## TOP STITCH NEEDLE

**Sizes:** 90 / 90  
**Applications:** Thick Yarn e.g. Buttonhole Yarn, Decorative Yarns



## SUPER STRETCH NEEDLE

**Sizes:** 90 / 100  
**Assortment:** 90/3, 100/2  
**Applications:** Super Elastic Wovens, Simplex, Latex, Lycra



## QUILTING NEEDLE

**Assortment:** 75/3, 90/2  
**Applications:** Machine Quilting

## Silicone Foam Press Padding

The silicone foam has an open pore makeup for consistently good steam pressing.

132cm wide

SF2510	Yellow	10mm	Soft
SF3508	Blue	8mm	Medium



## Polyester Needle Felt

PNF206 150cm wide 6mm

100% Polyester



## Blue Cover Fabric

D960BE D9 Blue 150cm wide

Manufactured from 100% Polyamide Nylon



## Mini Steam Iron

**IQ-2100W** - Fits into the palm of your hand for easy use.



## 2 in 1 Iron Board & Cutting Mat

**MRI-250** - Ironing board one side and rotating cutting mat the other



## Steamers

**STEAM2006C** - Garment Steamer with foot switch with a 2.8 litre water tank.

**STEAMGS11** - Toyota Garment Steamer with a 1.6 litre tank. Perfect for light creases & finishing products off.

**STEAMGS28** - Monster Garment Steamer with a 1.4 litre water tank.

**STEAMGS18** - E & R Garment Steamer with a 1.5 litre water tank

**ETSTEAM1.2 - Steam Generator**

With 1.2L Boiler & Iron  
Boiler Power - 1150W  
Iron Power - 800W

**ETSTEAM2.8 - Steam Generator**

With 2.8L Boiler & Iron  
Boiler Power - 1300W  
Iron Power - 800W

**ETBOILER7 - Steam Generator**

With 7L Boiler, 2 Irons and 10L  
Plastic Water Tank  
Boiler Power - 4400W  
Iron Power - 900W

**ETSTEAM4.5 - Portable Steam Generator**

With 4.5L Boiler & Iron  
Boiler Power - 1450W  
Iron Power - 800W

**ETSTEAMSA4.5 - Semi-Automatic Steam Generator**

With 4.5L Boiler, Pump & Iron  
Boiler Power - 1450W  
Iron Power - 800W





**ETVACTAB3.1 - Heated and Vacuum Ironing Board**

With 3.1L Boiler & Iron  
Ironing Board Height - 92cm  
Ironing Board Power - 600W  
Boiler Power - 2000W

Iron Power - 800W  
Dimensions - 47x137x93cm  
Board Dimensions - 107x38cm  
Weight - 39kg



**ETVACTAB6 - Heated and Vacuum Ironing Board**

With 6L Boiler and Iron  
Ironing Board Height - 92cm  
Ironing Board Power - 800W  
Boiler Power - 4000W

Iron Power - 800W  
Dimensions - 61x140x93cm  
Standard Board - 140x40cm  
Maxi Board - 130x50cm  
Weight - 72kg



**ETVACTABF - Heated, Vacuum and Blowing Foldable Ironing Board without Boiler**

Adjustable Height  
Standard Board;  
Power - 200W  
Vacuum Power - 25W  
Dimensions - 150x49x105cm

Rectangular Board;  
Power - 400W  
Vacuum Power - 73W  
Dimensions - 150x60x105cm



**ETVACTABF2.1 - Heated, Vacuum and Blowing Foldable Ironing Board**

With 2.1L Stainless Steel Boiler and Iron  
Adjustable Height  
Ironing Board Power - 200W  
Vacuum Power - 25W

Boiler Power - 1450W  
Iron Power - 800W  
Dimensions - 136x49x105cm  
Weight - 33kg  
Available with Rectangular Board



**ETVACTABF3.4 - Heated, Vacuum and Blowing Foldable Ironing Board**

With 3.4L Stainless Steel Boiler and Iron  
Adjustable Height  
Ironing Board Power - 200W  
Vacuum Power - 25W  
Boiler Power - 1450W  
Iron Power - 800W  
Overall Dimensions - 146x52x105cm  
Weight - 36kg  
Available with Rectangular Board

Accessories  
Available By  
Request



**ETSPOTTABC - Compact Spotting Table**

Supplied with two spotting guns and one air gun  
Stainless steel spotting table surface  
Spotting Board Height - 29cm  
Vacuum Motor Power - 0.2HP  
Compressed Air Pressure - 8/10 BAR  
Overall Dimensions - 25x64x81cm  
Weight - 13KG  
Standard Voltage - 203V-50Hz

**ETTCABLE - Trolley cable support for universal boards**



**ETSPOTTAB - Spotting Table**

Supplied with two spotting guns and one  
air gun  
High-efficiency suction  
Stainless steel spotting table surface  
Spotting Board Height - 94cm  
Vacuum Motor Power - 0.5HP  
Compressed Air Pressure - 8/10 BAR  
Overall Dimensions - 130x50x182cm  
Weight - 55KG  
Standard Voltage - 203V-50Hz





## Casoli TCR 86

Suction ironing surface, electrically heated and controlled by a thermostat. Surface and arm ironing suction by means of a push pedal.

Voltage - 230V/50Hz

Heating Resistance- 1000W

Dimensions - 1200 x 650 mm

## AG92 3KW 1 Phase Casoli Boiler

With 5L Tank & Pre-set for 2 Irons. Motor-driven pump for the feeding of the boiler from the water pipes.

Dimensions - 870 x 350 x 530mm

Voltage - 230V 3kw

Also available in 4KW



## Rotondi Mini 3 Boiler

Stainless steel steam generator

Water capacity - 2.15 litres

Boiler volume - 3.2 litres

Steam pressure - 2.8-3 BAR

Professional iron - 800W

External heating element - 1300W

Weight - 10kg



## Rotondi Mini 4 Boiler

Stainless steel steam generator

Water capacity - 3.4 litres

Boiler volume - 4.5 litres

Steam pressure - 2.8 - 3 BAR

Professional iron - 800W

External heating element - 1450W

Weight - 11kg



## Rotondi Mini 5 Boiler

Stainless steel steam generator

Water capacity - 3.8 litres

Boiler volume - 5 litres

Steam pressure - 2.8 - 3 BAR

Professional iron - 800W

External heating element - 1700W

Weight - 11kg



## Rotondi Mini 9 - Ironing Table

Ironing table with folding legs and vacuum electrically heated buck (400W).

Vacuum motor - 90W

Size - 152 x 46 x 91cm


Size Closed - 165 x 46 x 13cm

Weight - 18.5kg



**ISM Express CRS 4004**

Single phase continuous running induction motor.  
1/2HP, 400W 1720RPM, 4P, 50/60 HZ, Single Phase, Wired for 110V, Single Phase power counter clockwise rotation  
6 Volt, 17 Watt Light Tap (can be wired for 110V lamp)

**JW-55 Speed Control Motor With Synchroniser**

Japew, 550w, 1ph, 220v, 50Hz, 0-5000 r/min. Positioner is installed on the shaft and speed is regulated.

**NS412 Clutch Motor**

ISM express high speed 1 Phase 1/2 hp 2850rpm 220/240V 50HZ.

**NS414 Clutch Motor**

ISM express slow speed 1 Phase 1/2 hp 1425rpm 220/240v 50hz.

**NS414 Clutch Motor**

ISM express slow speed 1 Phase 1/2 hp 1425rpm 220/240v 50hz.

**NS614 Clutch Motor**

ISM express slow speed 1 Phase 3/4 hp 1425rpm 220/240V 50HZ.

**EFKA AB611**

The powerful control for basic sewing machines with footlift, trimmer and thread tension release.

Programmable light barrier functions

6 Short-circuit proof signal outputs with overload protection

**EFKA DC1210**


The high dynamic direct drive motor for overlock machines



### KM 8 & 10" Straight Knife - 230V

Cutting machines with automatic sharpener for all kinds of fabrics: light and heavy, synthetic materials and with synthetic additives, denim, vinyl, leather, knitted fabrics and more.

- Low noise
- Lubrication System
- Flexible and steady operation



### MiniRam 2 Tension Unit

These electronic devices are designed to feed, control both the tension and metering of elastic or rigid tapes that are attached to wears and goods. The electronic RAM metering devices can be easily expanded to meet your production requirements. They are efficient and versatile for both simple and more elaborate sewing's.

- 2 tension programs
- Sets between 0 to 100 different tension values
- Knee switch is available for automatic exchange
- High versatility and simple use



### Suprena HC1015A-C - Tuff Cutter 220V

50mm hand held cloth cutting machine for heavy-duty and difficult materials. Stationary carbide counter blade for fine cutting. Built-in automatic blade sharpener. Double insulated motor for electrical protection. Easy hand grip for better cutting manoeuvrability.



### Suprena HC1007A-C - Circular Cutter 230V

50mm hand held cloth cutting machine with round knife blade and carbide tipped bottom blade for scissor like precision cutting. Stationary carbide counter blade for fine cutting. Build-in automatic blade sharpener. Double insulated motor for electrical protection. Easy hand grip for better cutting manoeuvrability.



### Racing TFS-26-8 - Side Tape Feeder

Device for not tensioned tape and elastic feeding from machine side. Particularly useful to interact with width binders.

- Maximum tape width 200mm
- Suitable for machines: 1 or 2 needle flat bed coverstitch, flat bed coverstitch, overlock, zigzag



### Japsew J-500

Domestic Blindstitch It's widely used in positions of sleeve cuff, trousers cuff, glove tube edge and sock tube of various fabrics, such as knitwear, cotton textiles, woollen as well as chemical fibre, etc.

They are sewn in single-thread chain over lock trace, which can keep clothes looking beautiful. Equipped with skip stitch apparatus.

Max Speed: 1200spm

- Measurements - 40 x 36 x 33cm
- Semi-industrial blind hemmer with adjustable depth to withstand most fabrics.



### Japsew J-111

Chainstitch type imitation hand-stitch machine in parallel stitch from left to right. Great for ladies dresses, jackets, children's clothes and bags.

Max Speed: 1000spm

### Japsew J-140

The single thread chain stitch hides itself so that we can not see it from the outside, making clothes much neater. The equipped adjustable rolling bracket

Max Speed: 2500spm



### Japsew JM-120LR - Hot & Cold Cut Tape Cutter

Belt slitting machine adopts electromechanical integrating technology, it automatically adjusts the length data through the input of computer program. Automatically cutting and heat-sealing various nylon straps of different sizes.

- Memory - Automatically saves data
- Compensation - It can recover the differences caused by material flexibility dissimilarity
- Automatic pause - once the material is used up



### Japsew J-222

1 needle. Decorative stitch sewn by 3 smocking thread to make snake pattern. Rotating hook is used. Applicable for top stitching.

Max Speed: 2500spm







### Sunstar KM640 BL-7

Long arm type, 1-needle, upper & lower feed, lock stitch machine with vertical large hook and automatic thread trimmer.

Max Sewing Speed: 2000spm

Max Stitch Length: 9mm

- Optimized sewing condition for heavy duty materials
- Large-sized pulley for work efficiency and precise position detector installed
- The best rimming mechanism for thick materials
- Full automatic oil supply system

### Sunstar KM-2522A

Direct drive, high speed, 1-needle, lock stitch sewing machine with automatic thread trimmer.

Max Sewing Speed: 4000spm

Max Stitch Length: 0.1 - 5mm

- Built-in control panel is more simple and easy for workers sewing. The unique designed and patented new model of thread trimmer, combines advantage of the high speed and effectiveness.
- Convenient maintenance. Safety switch prevents safety accidents.
- Ease to use - bobbin winder is located inside machine can secure more ease to use for sewing.



### Sunstar SPS1254

Direct drive, electronically controlled decorative pattern tacking machine

Max Sewing Speed: 2500spm

Max Stitch Length: 0.1 - 10mm

- Stable and incredible sewing mechanism
- Electronic wiper unit
- Upper thread holding device
- Multiple Pattern Supply
- Excellent productivity



## Yamato CC2700-156M

4 thread, 2 needle cylinder bed economy line interlock machine. One machine can perform general seam, hemming and covering for various knitwear.

Max Sewing Speed: 6000spm

Max Stitch Length: 1.4-3.6mm

- Automatic lubrication by oil pump
- Semi-submerged installation
- 7mm presser foot lift

## Yamato CF2303M-164M

5 thread flat bed interlock stitch machine. User friendly and ready-to-use economy package. In addition to the unique bed shape, which allows operators to get their hands closer to the needle dropping point, several fabric guides are included for easy operation in hemming and covering.

Max Sewing Speed: 5500spm

Max Stitch Length: 1.4-3.6mm

- New feature prevents oil leakage from needle bar
- 3 Needle machine
- Ideal for finishing knitwear



## Yamato AZ7020SDR-8

4 thread overlock machine. These machines are speed & dry finish, high speed. High quality, stain-free finish and neatly tightened durable seam. Higher productivity and less downtime caused by defects ensure high customer satisfaction.

Max Sewing Speed: 7500spm

Max Stitch Length: 2 - 2.4mm

- 2 Needle machine
- High-tech parts for minimised friction
- Minimal lubrication
- Special sealing technology
- Forced circulation system
- Neatly tightened seam with less stress on each thread.






### Golden Wheel CSN-4500-12MR

4-Needle, 6-Thread, Feed off the arm sewing machine for flat seaming. Double cutter with improved machine head & oil proof mechanism. Direct drive mini servo moto.

Max Sewing Speed: 3500spm

- Long cylinder gives a wide operation space. The whole machine head is closed by cover.
- Presser foot & lap former enables positive feeding to maintain smoother operation for uneven thickness portions.
- Applied with pneumatic foot lifter device to increase sewing efficiency



### Golden Wheel CSU-8671DN

Single needle, unison feed, flatbed sewing machine. Automatic under trimming & backtacking, pneumatic presser foot lifting, extra-large hook.

The newly designed under trimming mechanism, applied with the close up type of lubrication, could decrease the worn-out of parts & increase the working efficiency.

Max Sewing Speed: 3000spm

Max Stitch Length: 12mm

- Used for heavy materials (leather, seat covers, cushions, bags, tents etc)
- Special movement mechanism of bobbin case opener
- Stitch length is adjustable & changeable.
- Minimum lubrication



### Golden Wheel CS-6120

Single needle, Top & bottom feed, Flatbed sewing machine. Large hook, lengthened & heightened design with more clear sewing space, automatic lubrication. With light touch to the lever, stitching can be reversed.

Max Sewing Speed: 2000spm

Max Sewing Length: 8mm

- Suitable for large materials such as bags, shoes, gloves, garments, tents, cushions etc







#### Golden Wheel CSU-4150BFT

Single needle, unison feed, flatbed sewing machine. This machine is equipped with walking foot, needle feed and feed dog, all of which act completely in unison feed. Consequently, the upper or lower sewing material did not slip and also this machine can sew accurately and easily several sheets of heavy materials piled up together.

Max Sewing Speed: 2000spm

Max Stitch Length: 9mm

- Automatic lubrication system
- Large hook to assure high efficiency

#### Maier KI. 241

Universal blind stitch sewing machine with skip stitch device. High-performance blind stitch with modern shape, ample working width (17cm) and retractable work plate. Small cylinder arm for sleeves, trousers etc and available with skip stitch device for thin to thick material.

Max Sewing Speed: 3000spm

Max Stitch Length: 3-8mm



#### Sunstar KM-957-7

Post bed, wheel feed with driven roller foot, 1 needle, needle feed lock stitch machine. Roller power can keep constant stitch and smooth cornering work in any condition with accurate transfer by upper roller presser foot and down wheel.

Max Sewing Speed: 3500spm

Max Stitch Length: 5mm

- Small cylinder bed equipped with a small saddle enables the sewing of 3D materials and small rounded corners
- No oil supply system s this machine uses sealed type bearings on rotation parts.
- Built-in position detector
- Solenoid type regulator for tension of thread


#### Japsew J-333

Peral stitch machine, applicable to the cuff of sleeves and neckband.

Speed: 1800spm



# EASTMAN STAPLES



Email: [sales@eastman.co.uk](mailto:sales@eastman.co.uk)

Website: [www.eastman.co.uk](http://www.eastman.co.uk)

Fax: +44 (0)1484 888 800

**Check Online Or Call For The Latest Products Available**